AUTHOR INDEX: VOLUME 61

Abadal L, 960

Abbottsmith CW, 723 Abdullah M, 660, 1307 Abernathy JR, 1071 Abernethy DR, 116I Abinader EG, 479, 874, 958 Adams K 400 Adams KF, 3F Adelman AG, 1117 Agmon J, 78E Agras S, 48J Ahmed SW, 1232 Ahnve S, 1165 Airaksinen J. 264, 405 Airaksinen KEJ, 959 Akhtar M, 9A Albert A, 216 Albin H. 47D Alboliras ET, 166 Alboni P. 759 Aldrich HR, 749 Alexopoulos D, 482, 880 Al-Fagih M, 608 Allen B, 1356 Allen HD, 595 Almendral JM, 770 Alpert JS, 4E Alsters J, 891 Amano K, 1140 Ambrose JA, 244 Amery A, 1061 Amirparviz F, 189 Amor M, 1172 Amos PA, 83 Anagnostopoulos C. 283 Anderson WD, 729 Ando K, 498 Annesley T, 93 Antman EM, 185 Applefeld MM, 1119 Arai Y, 1292 Arakaki Y, 386 Arbe E. 812 Arditti A, 78E Arensman FW, 395 Armstrong BE, 104 Armstrong PW, 455 Armuchastegui M, 685 Aronow WS, 1130, 1349 Arribas F, 775 Artiñano E. 812 Artman SE, 574 Asanoi H. 1214 Ascher EK, 939 Aschoff AM, 1037 Ask P, 958 Askenase A, 269 Asmar RG, 1066 Assey ME, 19F Atallah G, 341, 1154 Attia IM, 930 Ausubel K, 465 Avgeropoulou CC, 492 Axelson JE, 914

Baandrup U, 960, 1312 Bacharach SL, 1248 Bachenheimer LC, 946 Bachmann KF, 7E Bagger JP, 1312 Baler HJ, 955 Balm DS, 1G, 3G, 23G, 38G, 61G Bakst A, 498 Baldenkov GN, 1116 Balfour IC, 395 Balkin J, 874 Ballantyne D, 934 Ballenger JC, 39J Ballester M, 960 Baño-Rodrigo A, 152 Bär FW. 1 Bär FWHM, 231 Barbero JM, 775 Barbey JT, 570 Barbour D. 941 Bardy GH, 309 Barker AH, 807 Baron DW, 418 Barry J, 989 Barzilai B, 220 Bauer JH, 781 **Bauma W, 922** Bauman JL, 922 Bazgan ID, 1124 Beatt K, 240, 1148 Beett K.I. 253 Beau B, 22D, 95D Beckman KJ, 922 Beekman RH, 925, 951 Beekman RH III, 612 Behar VS, 729 **BHAT Study Group, 975** Belenkie I, 16 Belhassen B, 1152 **Bell ST, 457** Bella PD, 1046 Beller GA, 22F Bellinger RL, 718 Benhorin J. 1223 Bensasson D, 949 Benson LN, 161, 441 Berger RD, 1292 Berger TJ, 675 Berk L, 1148 Berkovits BV, 781 Bernstein SB, 113 Berry NS, 922 Berson AS, 885 Bertrand A, 1172 Bertrand ME, 71G, 546 Betocchi S. 830 Betriu A, 739 Bhans A, 28E Bieniarz T. 1085 Bigger JT Jr. 8, 208 Billaud E. 1056 Binder SW, 477 Birjiniuk V, 479 Bischof F, 41C, 55C Bjerregaard P, 1312 Bjurö T. 201 Blatt CM, 791 Blaustein AS, 400 Bleifeld W. 524, 966 Blondheim D, 4E Blumenthal JA, 26 Boccia A, 44E Bode C, 971 Bodet J, 457 Boe C, 395 Boland J, 216, 984 Bolson EL. 743 Bonan R. 906 Bonn R, 12E Bonnet J-L, 298 Bonow RO, 830, 1248 Borbola J, 1001, 1123 Borhani NO, 13I Borrico S, 244 Bory M, 298 Bostock J, 880 Boswick J, 749

Boswick JM, 723 Bottner RK, 1232 Boucher CA, 43 Boudoulas H. 895 Bourke JP, 83 Bouwels L, 107 Bowman LK, 541 Brackett C, 979 Brady D, 908 Bragdon EE, 3F Brechenmacher C, 471 Breisblatt V/M, 685 Brenner JI, 654 Brenowitz J. 1243 Bresnahan DR, 994 Bresnahan JF, 994, 1238 Brewer HB Jr. 1150 Brill DA, 650 Brisgand B. 95D Bromberg BI, 925 Bromet N. 47D Brooks HL, 1120 **Brown A, 189** Brown J, 1279 Brown MJ, 18D Brown ML, 912 Brownstein SL, 1037 Brozyna W, 558 Brubaker P, 26 Brugada P, 107, 916, 941, 943, 1108 Brunel PC, 1066 Brunken RC, 536 Bruschi C. 53C Brush JE Jr, 1150 Buchanan JW Jr, 1042 Buckingham TA, 1265 Bufalino V, 189 Buff LA, 46 Bülow K, 61 Burdick DC, 391 Burg JE, 1076 Burghagen H, 41C, 55C Burgisser C, 81E Burris JF, 807 Buss J, 74E Byington RP, 975

Cabin HS, 541 Califf RM, 510, 515, 718, 723 Cameron A, 714 Camm A.I. 919 Campbell RWF, 83 Campbell S, 989 Candela RJ, 723 Candini GC, 759 Cangiano JL, 471 Canning GC, 934 Cannon RO III, 830, 947, 1248, 1338 Capella G, 916 Cappato R, 759 Cappucci R, 662 Caprioli C, 170 Caref EB, 1272 Carlier J. 984 Carlson MD, 787 Carpentier A, 949 Carrasco JL. 436 Carreras F, 960 Casadel R. 27C Casali L, 53C Cascio WE, 1042 Castellanos A, 563, 781 Caucheteux D, 1080 Cequier A, 906 Cerveri I, 53C Ceschia G, 691

Chakko S, 498 Chalwani M, 1152 Chang M-S, 1024 Chappuls F, 1165 Chau NP, 1056 Chauvaud S, 949 Chauvin M, 471 Chesebro JH, 637 Child JS, 131, 477, 536 Chobanian AV. 94I Chow LC, 1092 Christensen NJ, 61 Christlieb AR, 611 Chung DC, 463 Cintron GB, 21 Cipolla CM, 1046 Cipriano PR. 96G Citron DC, 807 Cladellas M, 960 Clark D, 48J Clark PI, 197 Clark RE, 1248 Clarkson TB, 641 Cleman MW, 541 Clement B, 1255 Clements IP, 912 Clerici C, 45D Cobb FR, 288 Cobb LA. 8 Cohen Al. 317 Cohen LS, 685 Cohen M. 637 Cohen RJ, 1292 Cohen SJ, 1H Cohn PF, 4B, 283, 908 Coleman RE, 288 Coles J, 857 Coll S, 739 Collins G, 77G Collins JJ Jr, 185 Collins P, 718 Colson Y, 1359 Coltorti F, 309 Colucci WS, 1292 Come PC, 817, 1300 Connor WE, 1150 Constantin L, 1012, 1037 Conti CR. 21 Conway EL, 15D Cooley DA, 195 Cooper CM, 123 Cooper J, 463 Cooper JC, 914 Corbett HM, 998 Cordier J, 654 Cornu E, 919 Corsa AT, 749 Cosio FG, 775 Costa A, 436 Costa PT Jr. 20J Coté G, 906 Cotugno H, 510 Cotugno HE, 515 Covitz W. 395 Cowan JC, 83 Crépeau J, 906 Crowley DC, 413, 925, 951 Cryer PE, 875 Cunningham TM, 656 Curtis JJ, 731

Chaitman BR, 260

Dabestani A, 1356 Dadourian BJ, 131 D'Alterio D, 44E Daniels O, 891

AUTHOR INDEX: VOLUME 61

Abadal L, 960

Abbottsmith CW, 723 Abdullah M, 660, 1307 Abernathy JR, 1071 Abernethy DR, 116I Abinader EG, 479, 874, 958 Adams K 400 Adams KF, 3F Adelman AG, 1117 Agmon J, 78E Agras S, 48J Ahmed SW, 1232 Ahnve S, 1165 Airaksinen J. 264, 405 Airaksinen KEJ, 959 Akhtar M, 9A Albert A, 216 Albin H. 47D Alboliras ET, 166 Alboni P. 759 Aldrich HR, 749 Alexopoulos D, 482, 880 Al-Fagih M, 608 Allen B, 1356 Allen HD, 595 Almendral JM, 770 Alpert JS, 4E Alsters J, 891 Amano K, 1140 Ambrose JA, 244 Amery A, 1061 Amirparviz F, 189 Amor M, 1172 Amos PA, 83 Anagnostopoulos C. 283 Anderson WD, 729 Ando K, 498 Annesley T, 93 Antman EM, 185 Applefeld MM, 1119 Arai Y, 1292 Arakaki Y, 386 Arbe E. 812 Arditti A, 78E Arensman FW, 395 Armstrong BE, 104 Armstrong PW, 455 Armuchastegui M, 685 Aronow WS, 1130, 1349 Arribas F, 775 Artiñano E. 812 Artman SE, 574 Asanoi H. 1214 Ascher EK, 939 Aschoff AM, 1037 Ask P, 958 Askenase A, 269 Asmar RG, 1066 Assey ME, 19F Atallah G, 341, 1154 Attia IM, 930 Ausubel K, 465 Avgeropoulou CC, 492 Axelson JE, 914

Baandrup U, 960, 1312 Bacharach SL, 1248 Bachenheimer LC, 946 Bachmann KF, 7E Bagger JP, 1312 Baler HJ, 955 Balm DS, 1G, 3G, 23G, 38G, 61G Bakst A, 498 Baldenkov GN, 1116 Balfour IC, 395 Balkin J, 874 Ballantyne D, 934 Ballenger JC, 39J Ballester M, 960 Baño-Rodrigo A, 152 Bär FW. 1 Bär FWHM, 231 Barbero JM, 775 Barbey JT, 570 Barbour D. 941 Bardy GH, 309 Barker AH, 807 Baron DW, 418 Barry J, 989 Barzilai B, 220 Bauer JH, 781 **Bauma W, 922** Bauman JL, 922 Bazgan ID, 1124 Beatt K, 240, 1148 Beett K.I. 253 Beau B, 22D, 95D Beckman KJ, 922 Beekman RH, 925, 951 Beekman RH III, 612 Behar VS, 729 **BHAT Study Group, 975** Belenkie I, 16 Belhassen B, 1152 **Bell ST, 457** Bella PD, 1046 Beller GA, 22F Bellinger RL, 718 Benhorin J. 1223 Bensasson D, 949 Benson LN, 161, 441 Berger RD, 1292 Berger TJ, 675 Berk L, 1148 Berkovits BV, 781 Bernstein SB, 113 Berry NS, 922 Berson AS, 885 Bertrand A, 1172 Bertrand ME, 71G, 546 Betocchi S. 830 Betriu A, 739 Bhans A, 28E Bieniarz T. 1085 Bigger JT Jr. 8, 208 Billaud E. 1056 Binder SW, 477 Birjiniuk V, 479 Bischof F, 41C, 55C Bjerregaard P, 1312 Bjurö T. 201 Blatt CM, 791 Blaustein AS, 400 Bleifeld W. 524, 966 Blondheim D, 4E Blumenthal JA, 26 Boccia A, 44E Bode C, 971 Bodet J, 457 Boe C, 395 Boland J, 216, 984 Bolson EL. 743 Bonan R. 906 Bonn R, 12E Bonnet J-L, 298 Bonow RO, 830, 1248 Borbola J, 1001, 1123 Borhani NO, 13I Borrico S, 244 Bory M, 298 Bostock J, 880 Boswick J, 749

Boswick JM, 723 Bottner RK, 1232 Boucher CA, 43 Boudoulas H. 895 Bourke JP, 83 Bouwels L, 107 Bowman LK, 541 Brackett C, 979 Brady D, 908 Bragdon EE, 3F Brechenmacher C, 471 Breisblatt V/M, 685 Brenner JI, 654 Brenowitz J. 1243 Bresnahan DR, 994 Bresnahan JF, 994, 1238 Brewer HB Jr. 1150 Brill DA, 650 Brisgand B. 95D Bromberg BI, 925 Bromet N. 47D Brooks HL, 1120 **Brown A, 189** Brown J, 1279 Brown MJ, 18D Brown ML, 912 Brownstein SL, 1037 Brozyna W, 558 Brubaker P, 26 Brugada P, 107, 916, 941, 943, 1108 Brunel PC, 1066 Brunken RC, 536 Bruschi C. 53C Brush JE Jr, 1150 Buchanan JW Jr, 1042 Buckingham TA, 1265 Bufalino V, 189 Buff LA, 46 Bülow K, 61 Burdick DC, 391 Burg JE, 1076 Burghagen H, 41C, 55C Burgisser C, 81E Burris JF, 807 Buss J, 74E Byington RP, 975

Cabin HS, 541 Califf RM, 510, 515, 718, 723 Cameron A, 714 Camm A.I. 919 Campbell RWF, 83 Campbell S, 989 Candela RJ, 723 Candini GC, 759 Cangiano JL, 471 Canning GC, 934 Cannon RO III, 830, 947, 1248, 1338 Capella G, 916 Cappato R, 759 Cappucci R, 662 Caprioli C, 170 Caref EB, 1272 Carlier J. 984 Carlson MD, 787 Carpentier A, 949 Carrasco JL. 436 Carreras F, 960 Casadel R. 27C Casali L, 53C Cascio WE, 1042 Castellanos A, 563, 781 Caucheteux D, 1080 Cequier A, 906 Cerveri I, 53C Ceschia G, 691

Chakko S, 498 Chalwani M, 1152 Chang M-S, 1024 Chappuls F, 1165 Chau NP, 1056 Chauvaud S, 949 Chauvin M, 471 Chesebro JH, 637 Child JS, 131, 477, 536 Chobanian AV. 94I Chow LC, 1092 Christensen NJ, 61 Christlieb AR, 611 Chung DC, 463 Cintron GB, 21 Cipolla CM, 1046 Cipriano PR. 96G Citron DC, 807 Cladellas M, 960 Clark D, 48J Clark PI, 197 Clark RE, 1248 Clarkson TB, 641 Cleman MW, 541 Clement B, 1255 Clements IP, 912 Clerici C, 45D Cobb FR, 288 Cobb LA. 8 Cohen Al. 317 Cohen LS, 685 Cohen M. 637 Cohen RJ, 1292 Cohen SJ, 1H Cohn PF, 4B, 283, 908 Coleman RE, 288 Coles J, 857 Coll S, 739 Collins G, 77G Collins JJ Jr, 185 Collins P, 718 Colson Y, 1359 Coltorti F, 309 Colucci WS, 1292 Come PC, 817, 1300 Connor WE, 1150 Constantin L, 1012, 1037 Conti CR. 21 Conway EL, 15D Cooley DA, 195 Cooper CM, 123 Cooper J, 463 Cooper JC, 914 Corbett HM, 998 Cordier J, 654 Cornu E, 919 Corsa AT, 749 Cosio FG, 775 Costa A, 436 Costa PT Jr. 20J Coté G, 906 Cotugno H, 510 Cotugno HE, 515 Covitz W. 395 Cowan JC, 83 Crépeau J, 906 Crowley DC, 413, 925, 951 Cryer PE, 875 Cunningham TM, 656 Curtis JJ, 731

Chaitman BR, 260

Dabestani A, 1356 Dadourian BJ, 131 D'Alterio D, 44E Daniels O, 891 Danielsen R, 489 Danielson GK, 166, 602 Dannenberg AL, 85I Darawshi A, 2E Dargie HJ, 52C Dasgupta P. 1204 Dassen WRM, 943 Davies DS, 60D Davis D, 1076 Davis MH, 621 Debbas N, 28E De Boo T. 891, 1288 De Buitleir M. 93 Debusk RF, 628 De Buyzere M, 873 Deckelbaum LI, 650 Decoskey D, 269 Deedwania P. 1031 Deev AD, 1071 De Feyter PJ, 240, 253, 292 De Flores T, 739 De Geest H, 826 De Guise P. 906 Dehmer GJ, 1102 de Klerk H, 1178 Delanghe J, 873 Delbarre G. 22D De Lezo JS, 436 Deligonul U, 260, 457 DeMaria AN, 376 Demiroglu C, 39E Demoulin J-C, 216 den Dulk K, 107, 943 Denes P, 1001, 1123 Dersham GH, 936 De Scheerder I, 873 Desnovers MR, 583 Devereux RB, 662 DeWood MA, 36F Dows I. 28E Di Bari M. 81F Dick M II. 925 Diefenbach C. 966 Dillon T. 612 Dilsizian V, 1248 Dimarco JP, 336 Dimichelle J. 1232 DiPette DJ, 67H Dittrich H, 1165 Dittrich HC, 1092 Diver DD, 1300 Diver DJ, 817 Djiane P, 298 Dodge HT, 524 Dogar H. 39E Doherty NE III, 1144 Dollery CT, 1D, 60D Dominguez B, 170 Donaldson RM, 49C Doni F, 1046 Donohue BC, 477, 536 Dorow P, 23C Dorros G, 1243 Doyle AE, 39D Dresse A, 32D Drexler M, 488 Dubois C, 216, 984 **Dubow D, 734** Duchier J, 60D Duff HJ, 16 Dumesnil JG, 382 Dumoulin M, 861 Dunn FG, 191 Dunn ME, 24H Dupont WD, 621 Dupuis C, 177 Duquesnoy R, 1359 Dustan HP, 73I

Dworkin LD, 471

Dzau VJ, 99I

Engle KA, 323 Eaker ED, 641 Echt DS, 570, 1006 Edmonds JH, 734 Edwards JE, 8, 423 Edwards RR, 192 Egstrup K, 248, 1219 Fhlers A 481 Ehrhardt JD, 54D Fhsani AA 875 Eichhorn EJ, 583 Eidebäck J. 201 Ekelund L-G, 1071 Elefterlades JA, 650 Ellestad MH, 113 El-Sherif N, 1272 Emery CF, 26 Engel BT, 3J Engler R, 1165 Entman ML. 9J Epstein S, 1349 Epstein SE, 886, 1338 Erath A, 15E Erbel R. 488, 966 Erne P. 1132 Ernst JE, 932 Esterbrooks DJ. 346 Ethevenot G, 1172 Eubig C. 395

Fagard R, 1061 Falcone RA, 99 Fallen EL, 371 Fanelli R, 928 Fast J. 891 Faxon DP, 38G Fedor JM, 27A Felt F, 677 Feldman G. 1144 Feldman RL, 65, 1334 Felicetta JV, 34H Fellows KE, 196 Ferguson JF, 1300 Fermont L. 949 Fernandez P. 781 Ferrans VJ, 1137 Ferrucci L, 81E Fields CD, 583 Findlay IN, 52C Fineberg N, 1024 Fineberg NS, 1H Finkelstein D, 1018 Finlay CD, 1127 Firmin D, 1316 Fischer S, 1356 Fisher JD, 45A Fisher LD, 1198 Fleiss JL. 8, 208 Fletcher RD, 317 Fogarty TJ, 96G Foglia E, 1098 Fontaine JM, 1272 Forrester JS, 81G Foster JR, 1042 Fourtillan JB, 47D Frank DM, 367 Frantz EG, 844 Franz MR, 1284 Freed PS, 554, 558 Freedman RA, 578 Freedom RM, 161, 441, 664, 857, 1127 Freeman C, 1018 Freeman CS, 787 Freis ED, 117 Freischuetz G. 41C. 55C French W.J. 136 Freund J, 418

Freyschuss U, 519

Friesinger GC, 621

Frohlich ED, 11, 31, 67H

Frolich ED, 127I Fudo T, 1181, 1191 Fuguet M, 955 Fujil H, 71 Fujinami K, 1140 Fujita M, 1214 Fulton DR, 1323 Furnagalli S, 81E Funck-Brentano C, 61A Furman S, 465 Fuster V, 244, 637

Gaasch WH, 400, 939

Gabliani G, 457 Gabry MD, 465 **Gaines S, 654** Galan K. 457 Galan KM, 260 Galerna TW, 904 Gailagher JJ, 27A Gallastegui JL, 922 Gallo I. 812 Ganis J. 1187 Gansser RE. 7E Garan H. 787, 1018 Gardin JM. 1356 Gardner MJ, 273 Garrido M, 395 Gavish A, 16F, 1223 Geibel A, 461 Geiger M, 657 Genest JJ, 998 Genissel P, 47D, 54D Gennaro V. 908 George BS, 723 Gerard R. 177 German L. 718 Gersh BJ, 473, 1198, 1238 Gertsch M. 1098 Gerzer R, 932 Gessler C Jr. 220 Gettes LS, 1042 Gheorghiade M. 367 Giard MJ. 361 Gibbons GH, 991 Gibbons RJ, 51, 912 Gibson RS, 123, 475 Gidding SS, 605 Giles TD, 13H Gligenkrantz J-M, 1172 Gillam LD, 323 Gilpin E, 1165 Giorgi LV, 33G, 486 Glasser SP, 21, 197 Gobel JW, 423 Godtfredsen J, 61 Goicolea A, 775 Gold AE. 83 Goldberg S, 54G Goldberg SJ, 595 Golden JC, 612 Goldin M. 1001 Goodgold H, 446 Goodwin M, 189 Goor DA, 1156 Gorgels APM, 231 Gorlin R, 244 Goto M. 77 Gotshall RW, 612 Gottdiener JS, 317 Gottlieb CD, 770 Gottlieb SH, 1J, 7B, 53J Gottlieb SO, 7B, 33J Graboys TB, 791 Grande P. 749 Granrud G. 872 Gravburn PA, 376 Grazi S. 1046 Greco L, 44E Greco R, 44E

Green CE, 946, 1159, 1232 Green MV, 1248 Greene HL, 309 Greenspan AM, 1050 Greicin R.I. 200 Griffith LSC, 201 Gross DM, 170 Grubb BP, 574 Grundfest WS, 81G Guazzi MD, 1046 Gültekin N, 39E Gundry SR, 654 Gurley JC, 376 Gürses N, 39E Gutgesell HP, 336 Guyatt GH, 371 Güzelsoy D, 39E

Hadden B. 395

Hagberg JM, 875 Hagler DJ, 166 Hagman M, 530 Hains ADB, 1204 Haisty WK, 288 Haisty WK Jr, 734 Halaburka KR, 583 Halcrow S. 371 Halim M, 660, 1307 Hallman GL, 195 Hamed N, 1229 Hamaoka K. 480 Hamer HPM, 668 Hamm C. 966 Hammer F, 1080 Hammill SC, 473 Han J. 936 Haney PJ, 654 Hansen FS, 910 Hansson L. 2C Hara A. 77 Harf A, 45D Harf C. 22E Hariman RJ, 467, 922 Harper RW, 459 Harrison MR, 376 Harthorne JW, 323 Hartmann J, 189 Hartzler GO, 33G, 486 Har-Zahav Y, 1156 Hasegawa T, 1347 Hashimoto T, 1181, 1191 Haskell RJ, 136 Haskeli WL, 628 Hata T, 958 Hattori R. 1181 Haufe MC, 932 Havenith M. 941 Hayashi M, 1191 Hayden WG, 96G Hayward C, 48J Heger JJ, 1024 Heikkilä J, 264, 405 Helgason H, 193 Henderson E, 52C Henkin R, 1272 Henning H, 1165 Henry WL, 697, 1356 Heo J. 269 Herbst MC, 3F Heringa A, 891 Hermens WT, 1 Herrmann JM, 41C, 55C Heslet L. 61 Hesslein PS, 1127 Hickin JB. 418 Hicks RW. 595 Hill JA, 18B, 65, 873, 1334 Hillis LD. 617 Hills DJ. 283 Hinchcliffe M, 1307

Hinderliter A. 3F. 499 Hinohora T, 288 Hjalmarson A, 26B Hjerndahl-Monsen CE, 244 Hlatky MA, 510, 515 Hodges M, 872 Hoeg JM, 1150 Hoehn-Saric R, 1J, 68J Hoffmann RG, 1120 Hogan LB, 807 Hohnloser S, 764 Hohnloser SH, 461 Holland OB, 53H Hollenberg M, 23I Hollenberg NK, 571 Holme I, 1071 Holmes DR Jr. 9G, 51, 473, 994,

1198, 1238 Holt BD, 1092 Holt GW, 994, 1238 Homma S. 323 Hopman J, 891 Hopson R, 1012 Hopson RC, 1037 Horacek BM, 273 Horio Y, 71 Horowitz GL, 754 Horowitz LN, 428, 1050 Hoshino PK, 400 Hossack KF, 391 Hougen TJ, 583 Howell RR, 170 Hsu L, 236 Hsueh WA, 18H Hu DCK, 912 Huang SKS, 1124 Hue L, 1080 Hugenholtz PG, 292 Huikuri HV. 264, 405 Hultgren HN, 142 Humes RA, 602 Hung J-S, 1260

Ideker RE, 729 Idris M, 660, 1307 Ignatius EJ, 3G lhenacho D, 142 lkäheimo MJ, 264, 405, 959 Imamura T, 954 Imperi GA, 18B Inada M, 1347 Indo T, 836 Ino T, 161, 441 Ishibashi M. 1260 Ishigami T, 498 Iskandrian AS, 269, 1363 Isner JM, 583 Ito I, 361 Ivey TD, 309 Iwasaka T, 1347 Izukawa T, 1127

Huycke EC, 1031

Jaffe AS, 220
Jaffe CC, 541
Jaffe WM, 1354
Jakubowski AT, 81G
Jalowiec DA, 1334
Jansen W, 31E
Janssen JHA, 231
Jerrott B, 15D, 39D
Jazayeri M, 9A
Johnson A, 400
Johnson DE, 96G
Johnson WD, 1243
Johnson WD, 1243
Johnston JA, 482, 880
Johnston JA, 482, 880
Johnston DE, 273

Joly P, 298, 906 Jonas RA, 198 Jones C, 395 Jones MG, 749 Joseph MC, 608 Joseph MC, 608 Josephson ME, 770, 1279 Josselson J, 36I Jubber A, 28E Juilliere Y, 55, 71G, 253, 546 Juni J, 413 Just H, 461 Justen M, 524

Kahn JK, 1145 Kaiser DL, 123 Kaiser GC, 1198 Kallmeyer C, 775 Kambara H, 1181, 1191 Kamiya T. 386 Kammerling J, 1024 Kannel WB, 851 Kantrowitz A, 554, 558 Kaplinsky E, 498 Kappagoda T, 236 Karcher G, 1172 Karsch KR, 648 Kasab SA, 660, 1307 Kasper W, 461 Katavatis V. 1178 Kato T, 77 Katoh Y, 498 Katz NM, 1159 Katz RJ, 46 Kaufman HW, 754 Kaufmann C. 1359 Kawai C, 1181, 1191 Kawakuho K. 1140 Kawanishi DT, 291 Kay HR, 1050 Keane JF, 109G Kelbaek H, 61 Keller H, 74E Kellett MA, 38G Kelly TA, 123 Kennedy HL, 1265 Kent KM, 67G, 1232 Keogh AM, 418 Kerber RE, 481 Kereiakes DJ, 723 Keren A. 1223 Kerkhof PLM, 1 Kern MJ, 260, 457 Kerr CR, 463, 914 Kersschot IE, 943 Kessler KM, 563 Ketelslegers J-M, 91D Keung EC, 1031 Khashimov KA, 1116 Khatth R, 1361 Khurmi NS, 38 Kienzle MG, 99, 1012, 1037 Kikawada R, 498 Killip T III, 1198 Kim SG, 45A Kindwall KE, 1279 King AC, 628 King R, 48J Kipstein R, 1316 Kirkorian G, 341, 1154 Kjeldsen K, 1312 Klainman E, 78E Kleiger RE, 208 Kleiman N, 224 Klein GJ, 330, 914 Klein HO, 498 Klein LS, 1024 Klementowicz PT, 465 Kloiber R, 16 Kloner RA, 1361

Knisley SB, 1042 Knoebel SB, 1112 Knudtson ML, 16 Koch G. 3F. 499 Koenig-Berard E, 22D, 35D Koenigsberg M, 1130, 1349 Kohata T, 386 Koike K, 1127 Koller P, 200 Kolokouri-Dervou ES, 1146 Kong B, 1363 Konishi J, 1191 Kopelman H, 1363 Kopelman HA, 1006 Korhonen UR, 264 Korkodilos GA, 1146 Kosinski AS, 714 Kostis JB, 975 Kostuk WJ, 1328 Kou WH, 93 Kowey PR, 1106 Kozlov SG. 1116 Kozlovskis P, 563 Kozlowski J, 558 Kracoff OH, 1117 Kragel AH, 659 Kramer-Fox R, 662 Krauss XH, 1 Krebber H-J, 524 Krishna GG, 531 Kristjansson K, 193 Krivokapich J, 131, 536 Krolewski AS, 611 Kron J, 303 Kronenberg MW, 621 Kronmal RA, 714 Krucoff M. 29F Krucoff MW, 1232 Krug-Fite J, 197 Kübler W, 146 Kuchar D, 1018, 1187 Kuck K-H. 657 Kudenchuk PJ, 303 Kuebler W, 971 Kuga K, 361 Kulbertus HE, 216, 984 Kuller L, 8 Kunze K-P, 657 Küpper AJF, 904 Kurokawa S, 498 Kurosawa T, 498 Kushner JA, 93 Kutalek SP, 1050 Kutsche LM, 850

Lababidi ZA, 930 L'Abbate A, 31 Labovitz AJ, 446, 872 Labrid C, 22D Lacolley PJ, 1086 Lahiri A, 1204 Lai-Wah JAY, 463 Lam YWF, 36I Lambert AE, 91D Lambert CR, 1334 Lampert S, 349, 791 Landau E. 2E Langevin LM, 455 Langialonga T, 928 Laniado S, 1152 Lapeyre AC III, 51 Lau A, 78I Lau CP, 919 Lau KC, 500 Lauler DP, 1F Laurenzi F, 928 Laurin S, 95D Lavine SJ, 590 Lawrence JD, 1204 Lawrie GM, 675

Lawson WE, 283, 908 Laxdal T, 193 Lazzara R, 20A Leachman RD, 195 Lee EH. 49C Lee HR, 617 Lee JD, 77 Lee JT, 1006 Lee KL, 729, 749 Lee Y-S, 1260 Leeman DE, 38G Lehmann MH, 354, 872 Leman RB, 291 Lemery R, 941 Lemmens WAJ, 1288 Lenders JWM, 1288 Lerman BB, 336 Lesko LJ, 830 Letsch IS, 231 Loung MP, 500 Levenson J, 1056 Levin RI, 13B Levine BD, 617 Levine HJ, 633 Levy D. 851 Levy M, 661 Levy R, 874 Lévy S, 95A Lewin RF, 78E, 1243 Lewis SJ, 39D Lhoste F, 22D Liang BT, 185 Lie KI, 668 Liem LB, 88 Lijnen P, 1061 Lilly LS, 1292 Lin AE, 872 Linares E. 21 Lincoln CR, 608 Lindemans F, 107 Lindsay J Jr, 182 Lindsay JH Jr, 1229 Linnaluoto MMK, 405 Lipkin D, 1132 Litvack F, 81G Lo RNS, 500 Lock JE, 109G Loeb AL, 110I London MJ, 23I Longmore D, 1316 Loose R. 74E Loperfido F, 928 Lopez EA, 885 López FN, 739 Lopez LM, 803 Lorell BH, 38G Louie EK, 1085 Louis WJ, 15D, 39D Lovallo WR. 798 Lown B, 349, 764, 791 Loyd D, 958 Lucarini AR, 45C Luck JC, 574 Luft FC, 1H Luke RG, 731 Lutz JE, 494 Luzza F, 652 Lyakishev AA, 1116 Lyle HRP, 1229 Lyman GH, 197

MacDonald RG, 65 MacKenzle BR, 273 Macquin-Mavier I, 45D Magriñá J, 739 Mahleux F, 95D Mahmarian JJ, 224 Mair DD, 602 Mallery J, 697 Mancia G, 1C, 27C Mangano D. 231 Mann JM, 675 Manyari DE, 16 Marchionni N, 81E Marcus Fl. 8 Marak J. 189 Marenzi G, 1046 Margraf J, 48J Mark DB, 510, 515, 718 Markel ML, 574 Marks C, 28E Marmor A, 4E, 36E Marraccini P, 31 Marsico F, 44E Martin MM, 951 Martinez C, 436 Martinez J. 177 Martinez-Maldonado M. 471 Martins JB, 1012, 1037 Marumo F, 498 Marx GR, 595 Maseri A, 1132 Mason DM Jr. 88 Mason JW, 578 Mason TJ, 1085 Massie BM, 13H, 23I, 121I Massimo C, 874 Mathey D, 966 Mathey DG, 524, 743 Mathiek LM, 1243 Matsuoka Y, 836 Matsushima H, 836 Matsutani M. 1347 Matsuyama F, 77 Matsuyama K, 71 Maurer G, 1144 Maurin P. 1172 Mauser M. 648 Mayer EO, 55C McAnulty JH, 303 McAuliffe D, 563 McCabe CH, 23G, 38G, 61G McConshay DR, 33G McConney M, 1198 McCue ML, 1012 McDonald RH, 807 McGinn C. 470 McGuire M, 1187 McIntosh CL, 947, 1248 McKay RG, 23G, 38G, 102G, 817, 1300 McKeever L, 189 McKenzie FN, 1328 McLenachan JM, 52C McLeod DR 681 McManus CD, 885 McNamara JR, 998 Mead K, 989 Mehta J, 803 Meinertz T. 461 Meissner HC, 1323 Meissner MD, 1050 Members of the Cardiac Catheterization Laboratory, Washington Hospital Center, Washington DC, 1229

Menegazzi JJ, 499 Mercando AD, 45A

Mercanti C, 608

Mericle JM, 104

Messina C, 78I

Meyer L, 31E

Michael LH, 9J

Mignot A, 47D

Milei J. 1137

Miles DS, 612

Miles WM, 1024

Michelassi C, 31

Mikailian H, 161, 441

Meyer J, 146, 488, 966

Moise A, 1255 Moller JH, 423 Mont L. 739 Montague TJ, 273 Montamat SC, 116 Montelli S, 697 Moore AM, 1085 Moore M, 83 Morady F. 93 Moreno CA, 391 Morgan JP, 817 Morganroth J, 470 Morikami Y, 71 Morris JJ Jr, 1B Morris PB, 26 Morton P, 961 Moschi G. 81E Moser KM, 1092 Moss AJ, 8 Motarjeme A, 189 Mpoy M, 91D Mroczek W.J. 807 Munck O. 61 Murakami T, 1140 Murtagh JG, 961 Musch TI, 1076 Musewe NN, 664 Myerburg RJ, 563, 781, 955 Myers WO, 1198 Nabel EG, 989 Nadaud D. 35D Nair CK, 346 Nakajima H, 1214 Nakamura T, 77 Nakanishi S, 645 Nalcioglu O, 697 Narins RG, 531 Nassisi V, 31 Naunheim K, 457 Nelson SD, 93 Nguyen NX, 1031 Nicklas JM, 200 Nicod P, 1165 Nicod PH, 1092 Nidorf SM, 1178 Niggemann EH, 617 Nishikawa H, 645 Nishimura S. 645 Nishiyama S, 645 Nistal F. 812 Nitta M, 142 Nixdorff U, 488 Noera G, 874 Nogradi S, 371 Nohara R, 1191 Nora AH, 499 Nora JJ, 499 Nordrehaug JE, 489 Nørgaard A, 1312 Norris RJ, 14C Northcote RJ, 934 Norvell N, 18B

Miller GA. 608

Miller H, 26

Miller JP, 208

Miller RM, 273

Minoda M, 954

Minotti JR, 1076

Mintz GS, 1135

Mitchell GD, 536

Mitchell JH, 617

Mock MB, 1198

Moes CAF, 664

Mohr FW, 81G

Mitten S. 743

Miwa K, 77

Miller JZ, 1H

Milo S. 479

Obrador D. 960 O'Connor C, 510, 515 Oesterie SN, 29G Ohno A, 1214 O'Keefe JH Jr, 51 O'Keeffe DB, 961 Oku J. 1140 Okumura K, 71 Olshansky B, 1037 Olshausen KV, 146 Olsson G, 519 O'Neill WW, 45G Ono Y, 386 Onle LH, 8C Oreichov AN, 1116 Oreto G. 652 O'Rourke RA, 291 Orr CM, 15G Orsini E, 31 Osborn MJ, 473 Ostermann H, 966 Ostrow HG, 830 Ouyang P, 7B Overholt ED, 336 Packard B, 641 Paleologo G, 652

Palisaitis D. 906 Pan M, 436 Pandullo C, 691 Pang S-C, 1260 Panidis IP, 1135 Pannier B, 60D Pannier BM, 1066 Paoletti M, 81E Papaioannou T, 81G Paparella N, 759 Papazoglou NM, 1146 Paraire M, 95D Parati G, 27C Parente AR, 1232 Parker GW, 9J Parris TM, 1135 Parsons RS, 70E Participants in the Coronary Artery Surgery Study, 1198 Passey RB, 798 Pasternak RC, 754 Paynter J, 697 Peach MJ, 110i Pearle DL, 22B Pearlman JD, 43 Pearson AC, 446 Pearson TA, 74J Pedersen A, 910 Penn IM, 382 Pennert K, 530 Pennock JL, 1076 Penny WJ, 1158 Peona V. 53C Pepine CJ, 18B, 65, 873 Pérez JF 220 Perioff JK, 131, 477 Perna G. 928 Pernot C, 177, 1172 Perry SB, 109G Peterson MB, 1323 Pflugfelder PW, 1328 Phelan BK, 621 Phillips HR III, 77G, 718 Pichard AD, 1229 Pierard LA, 216, 984 Pierpont MEM, 423 Plessens J, 826 Pina IL. 955 Pincomb GA, 798 Pinkerton CA, 15G Pipberger HV, 885

Pitt A. 459

Pivotti F. 691

Platia EV. 1284 Plich M, 4E Podrid PJ, 349, 764, 791 Pollavini G. 691 Pomidossi G, 27C Pons-Lladó G, 960 Pool PE, 53H Pop T. 966 Pope JE, 288, 734 Popma JJ, 617 Porter C-BJ, 602 Portillo B. 781 Poeme JL. 666 Posner JN, 36I Potkin BN, 947, 1150 Pouleur H, 1080 Powell LH, 979 Pozet N, 54D Prasad R, 1210 Pratt CM, 29I, 224 Price C, 499 Pringle SD, 191 Pruzinsky MS, 1159 Pryor DB, 510, 515 Prystowsky EN, 1A, 102A, 1024 Puel J, 71G, 546 Puga FJ, 166, 602

Qu L, 697 Quigley PJ, 77G Quyyumi AA, 1150

Rackley CE, 1232 Raftery EB, 38, 1204 Rahko PS, 492 Rankin I, 107 Ratcliff J, 446 Rath S, 1156 Ravogli A, 27C Re RN, 104I Reams GP, 781 Rebecca G, 989 Redd RM, 1265 Rediker DE, 323 Reeder GS, 9G, 994, 1238 Rees S, 1316 Reese T. 697 Rehnqvist N, 519 Reiber JC, 55 Reid JL, 1C, 59C Reijenga J, 1288 Reimann P, 558 Reiner BI, 654 Reis GJ, 754 Reisin LH, 2E Rejano A, 436 Rejeski WJ, 26 Remetz MS, 650 Rentrop KP, 677 Renzi RH, 1232 Revbrouck T. 861 Reyes L, 395 Rezaković DE, 52E, 59E Rezkalla S. 1361 Rheuban KS, 336 Ribeiro PA, 680, 1307 Ribis! PM, 26 Richardson SG, 961 Rickards AF, 71G, 546 Rideout E, 371 Rigby ML, 608 Riley MF, 817, 1300 Rimondini A, 1046 Rios JC, 885 Roark S, 26 Robbins JA, 192 Roberts R, 224 Roberts WC, 199, 410, 495, 659, 671, 672, 675, 871, 938, 941, 947, 1149, 1150, 1362, 1365

Robertson GC, 96G Robicsek FR, 27A Rocchini AP, 413, 925, 951 Rocco MB, 989 Roche AHG, 1354 Roden DM, 570, 1006 Rodewald G, 524 Rodrigues EA, 1204 Rodriguez-Sargent C, 471 Roelandt J. 253 Rogers MA, 875 Rogers WJ, 1198 Roguin N, 479 Roig E, 739 Rolnitzky L, 8 Rolnitzky LM, 208 Romero M, 436 Roos JP, 904 Root A, 197 Rosen MR, 2A Rosenfield K. 583 Rosengarten MD, 958 Rosenthal A, 413, 925, 951 Rosenthal ME, 770 Rosing DR, 830, 946 Ross J, 1135 Ross J Jr, 1165 Rostami A, 236 Rostand SG, 731 Roth WT, 48J Rothbart RM, 123, 475 Rousseau MF, 1080 Rowe RD, 161, 441 Rubenfire M, 558 Ruda MYa, 1116 Rumberger JA, 481 Ruskin JN, 787, 1018 Russell D, 1356 Russo A, 928 Rutherford BD, 33G Ryan TJ, 1198 Rynkiewicz A, 482 Ryong LH, 1116

Sabbah HN, 367 Safar ME, 60D, 103D, 1066 Safian RD, 23G, 817, 1300 Sailors MM, 346 Sakamoto H. 498 Sakamoto T, 1140 Salani B. 81F Salem DN, 583, 998 Salen G. 1150 Salerno DM, 872 Saltiel J. 1255 Salvatori MP, 928 Salvetti A, 45C Salvioni A, 1046 Sammel N. 1187 Samuels MA, 15J Sancho M, 436 Sanders MR, 975 Sane DC, 1158 Sanz G, 739 Sasavama S. 1214 Satier LF, 1159 Sato D, 697 - Sato I. 386 Satullo G, 652 Saul JP, 1292 Saunders E; 36I, 46H Savage DD, 81 Savage M, 54G Sawada T, 480 Scardi S, 691 Schaab C, 220 Schaefer EJ, 998 Schaefer MM, 998 Schaefer S, 617 Schaer DH. 46

Schaff HV, 602, 1198 Scharmroth L, 652 Scherlag BJ, 20A Schiattarella M. 44E Schlüter M, 657 Schmahl T, 1243 Schmeltz S. 93 Schmitz-Hübner U, 966 Schneeweiss A, 1E, 19E, 36E, A1E Schoen FJ, 185 Schoenermark S, 971 Schofer J, 524, 743, 966 Schork MA, 558 Schroeder JS, 41F Schuler G, 971 Schwaiger M, 536 Schwartz KS, 1130, 1349 Schwartz MJ, 714 Schwarz F. 146, 971 Sciarovsky S, 78E Scott MF. 961 Scott WA, 925 Scuvée-Moreau J, 32D Seager LH, 873 Seals AA, 224 Seals DR, 875 Sealy WC, 27A Sebag C, 1172 Sebastianelli G, 874 See J, 697 Segal BL, 269, 1363 Seifert F, 283 Seipel L, 648 Seita M. 954 Seki A. 645 Selle JG. 27A Selmon MR, 96G Selvester RH, 729 Selwyn AP, 989 Senda M, 1191 Sequeira R, 563 Serokman R, 8 Seria A. 739 erradimigni A, 298 Serruys PW, 1, 55, 71G, 240, 253, 292, 546, 1148 Serry C, 1001 Serwer GA, 104 Serwer GS, 925 Seutin V, 32D Severi S. 31

Seward JB, 166 Shaffer EM, 413 Shah R. 1085 Shahed M, 660 Shaikh MA, 590 Sharif DS, 874 Sharir T, 4E Sharma AD, 330 Sharma B, 9F Sharma MK, 1210 Sheehan FH, 524, 743 Shem-Tov A, 479 Sheps DS, 3F, 499 Sherry S, 1344 Shestov DB, 1071 Shimizu H. 77 Shimshak TM, 486 Shinebourne EA, 608 Sholler GF, 872 Shugoli RM, 1232 Siegel RJ, 1144 Sigwart U, 71G, 546 Silber S, 1352 Silverman NH, 844 Simon A, 1056 Simoons ML, 1 Simpson JB, 96G

Simson MB, 99

Sinclair IN, 61G Singer SJ, 196 Singlas E, 54D Singleton RT, 1119 Sinoway LI, 1076 Sipperly ME, 23G, 61G Skagen K, 61 Sketch MH, 346 Slack JD, 15G Slater W. 349 Sleight P, 482, 880 Slovenkai GA, 583 Smallhorn JF, 664, 857 Smeets J-P, 216, 984 Smirnov VN, 1116 Smith ER, 16 Smith EV, 955 Smith HC, 1238 Smith MD, 376 Smith ML, 15G Smith ST, 367 Smucker ML, 123, 475 Snider AR, 925 Snider R. 413 Soderholm-Difatte V, 578 Somerville J, 1316 Sotobata I, 836 Soufer R, 650 Sowers J, 1361 Sowers JR, 7H, 34H, 60H Spencer CA, 273 Spicer RL, 413 Spiegelsberger F, 1352 Spielman SR, 1050 Spodick DH, 200, 869, 872, 959 Sreeharan N. 236 Stack RS, 77G, 718, 723 Stacpoole PW, 65 Staessen J. 1061 Stalec J. 52E Stamato NJ, 770 Stark KS, 1232 Stauffer J-CE, 939 Steckbeck RT, 574 Stegaru B, 74E Stein PD, 367 Steinman RC, 208 Steinman RT, 354 Stephens J. 28E Stern S, 16F, 1223 Stem TA, 59J Stevens LL, 1265 Stewart RB, 309 Stienen U, 146 Stinnett SS, 1071 Stinus L, 35D Stockman JA III, 605 Stone J. 718 Storino RA, 1137 Strasberg B, 78E Stroming SL, 1232 Stump DC, 723 Sugimoto T, 1140 Sugishita Y, 361 Sugiura T. 1347 Sugrue DD, 994 Sullivan MJJ, 371 Sung RJ, 1031 Surawicz B, 467 Suryapranata H, 240, 253, 292 Suzuki A, 386, 836 Svenson RH, 27A Swerdlow CD, 88, 578 Swinford RD, 283 Szlachcic J, 231

Tadros S, 224 Taguchi T, 954 Tajik AJ, 166 Takahashi N, 1347 Takatsu Y, 1181 Takayama Y, 1347 Takeda S. 498 Takenaka K, 1140, 1356 Takens BL. 668 Takkunen JT, 264, 405, 959 Tamaki N, 1191 Tamaki S, 1181 Tamura K, 954 Tanner CS, 428 Tansuphaswadikul S, 83 Tapla F, 195 Tauchert M, 31E Taus R, 185 Taylor AL, 617 Taylor CB, 48J, 628 Taylor DW, 371 Taylor SH, 34C Tchou PJ, 9A Teague SM, 1210 Tector A, 1243 Teo KK, 236 Teran J. 189 Tertov VV, 1116 Thadani U, 1210 Thakur R, 1120 The Cardiac Arrhythmia Pilot Study (CAI Investigators, 501, 704 Theisen K, 932, 1352 Theler A, 1098 The Multicenter Post Infarction Research Group, 8, 208 Thessen CC, 1265 The TAMI Study Group, 723 The Veterans Administration Cooperative Study Group on Antihypertensive Agents, 117 Thien T, 1288 Thompson CR, 16 Thompson KA, 570 Thompson PL, 1178 Thomsen PEB, 1312 Thorburn C, 1187 Thorman AD, 803 Thorn MD, 1071 Thornton JC, 677 Tierney C, 22D, 35D Tihal H. 371 Timmermans P, 826 Tkachuk VA, 1116 Tobis J. 697 Tobian L, 421 Toda I, 1140 Todd IC, 934 Tokunaga S, 1181 Tomita Y, 1137 Tommaso CL, 1119 Tondo C, 1046 Topol EJ, 723 Torp-Pedersen C, 910 Touboul P, 341, 1154 Townsend M, 371 Tracy CM, 1248 Trazzi S. 27C Tresch DD, 1120 Trohman RG, 563

Takaku F. 1260

Uetrecht JP, 621 Underwood R, 1316 Uozu K, 1181

Tzivoni D, 16F, 1223

Trowitzsch E. 152

Tsai R-C, 1260

Tsuchiya K, 386

Tubau JF, 231

Tuuri DT, 612

Turitto G, 1272

Tyroler HA, 641

Trusler GA, 664, 857

Ursell SN, 1272

Vaksmenn G, 177 Valsson J, 193 Van Buskirk M, 677 Van Dam I, 891 Vandeleene B, 91D Vandenberg BF, 481 Van den Berg EK, 1102 Van den Brand M, 240, 253 Vandenburg M, 28E Van den Merkhof L, 891 Van der Hauwaert LG, 861 Van der Laarse A, 1 Van der Wall FF. 1 Vandongen Y, 1178 Vandormael M, 457 Vandormael MG, 260 Van Egmond H, 177 Van Mierop LHS, 850 Van Natta BE, 113 Van Praagh R, 152 Van Praagh S, 152 Vantassel JW, 15G Vanway CW, 391 Van Zwieten PA, 6D Varnauskas E, 201 Varricchione T, 38G Vassillou SV, 1146 Vatterott PJ, 912 Verani MS, 224 Verdouw PD, 292, 1148 Verheugt FWA, 1, 904 Vermeer F, 1 Verrostte J, 240 Verschuere J. 1061 Verschuuren EA, 231 Vetter VL, 428 Viaros PA, 1146

Vidaillet HJ Jr, 1158, 1355

Vigna C, 928

CAI

Vik-Mo H, 489
Villarreal D, 78I
Villelia A, 928
Vita NA, 685
Vitale DF, 1248
Vitou P, 95D
Vlay SC, 1364
Viletstra RE, 9G, 994, 1238
Vogler AC, 1352
Von Arnim T, 15E
Von Heymann F, 41C, 55C
Vos MA, 231
Voyles W, 1210

Wagner GS, 288, 729, 734, 749 Wagner NB, 288, 729, 734, 749 Wajszczuk W, 558 Walance C, 303 Wallace AG, 112A Wallace RB, 946 Wallin J, 201 Walsh-Riddle M, 26 Wargovich TJ, 65 Warnes C. 1316 Warram JH, 611 Warren JB, 36I Wasfie T, 554, 558 Waters DD, 906 Watson RM, 830 Watts DG, 455 Wayne VS, 459 Weber RA, 718 Wedel H, 530 Weil J. 932 Weinberger MH, 1H Weir MR, 36I, 46H, 60H Weisfeldt ML, 1284 Weiss M., 1E Weisz G. 1223

943, 1108 Welter R, 22E Wendt DJ, 1012 Wenger NK, 641 Weston BA, 21 Wetzel E. 74E White RD, 729 Whittemore R, 499 Wholey MH, 87G Withelmsen L, 530 Wilkinson PR. 1204 Willems JL, 826 Willemsen JJ, 1288 Williams JC, 170 Williams LA, 49C Williams MA, 346 Williams RB Jr, 27J Williams RS, 26 Williams WG, 857, 1127 Wilson AC, 975 Wilson JT, 52C Wilson MF, 798 Wish M. 317 Woelfel A, 1042 Wood DL, 473 Woodings D, 28E Wooley CF, 895, 900 Woosley RL, 61A, 570, 1006 Working Group on Thrombolytic Therapy in Acute Myocardial Infarction of the Netherlands Interuniversity Cardiology Institute, Wranne B, 958 Wright JT Jr. 41H

Wellens HJJ, 107, 231, 916, 941,

Yacoub MH, 482, 880

Wu D. 1260

Wyeth RP, 9F

Wyns W, 1080

Yamaguchi H, 645 Yamaguchi I, 361 Yamaji T, 1260 Yamamoto C, 875 Yamamoto S, 836 Yamanishi K, 1214 Yang P-T, 1031 Yasue H, 71 Yeh S-J, 1260 Yonekura Y, 1191 Yoon MS, 936 Yuschak J, 729 Yusuf K, 83 Yusuf S, 482, 880

Zado B, 554 Zaibag MA, 660, 1307 Zalewski A, 54G Zamalioa O, 195 Zaman L, 563, 781 Zanchetti A, 27C Zannad F, 1172 Zaret BL, 541, 650, 685 Zaske DE 36I Zech P. 54D Zehender M, 461 Zelis R. 1076 Zelman R, 457 Zemel MB, 7H Zemel P, 27H Zerbe TR, 1359 Zetterquist S, 519 Zijistra F, 55, 240, 253 Zimmermann R, 971 Zimmern SH, 27A Zin D. 16F Zion MM, 874 Zipes DP, 70A, 1024 Ziskind Z, 1156 Zola MC, 53C

Acetylcholine

Supersensitivity of coronary arteries in variant angina to spasm induced by intracoronary acetylcholine, 77

Acute myocardial infarction

See also Myocardial infarction Coronary artery spasm, cardiac arrest, transient electrocardiographic Q waves and stunned myocardium in cocaineassociated acute myocardial infarction,

Efficacy of Intravenous prourokinase and a combination of prourokinase and urokinase in acute myocardial infarction, 971

Idioventricular rates in early and late phases of acute myocardial infarction, 935

Low dose aspirin after early thrombolysis in anterior wall acute myocardial infarction, 904

Prognostic significance of angina pectoris before first acute myocardial infarction, 984

Prognostic significance of ventricular ectopic activity in survivors of acute myocardial infarction who receive propranolol, 975

Psychosocial and physiological predictors of sudden cardiac death after healing of acute myocardial infarction, 979

Recombinant single-chain urokinase-type plasminogen activator during acute myocardial infarction, 966

Relation of coronary arterial patency and left ventricular function to electrocardiographic changes after streptokinase treatment during acute myocardial infarction, 961

Relation of left ventricular free wall rupture in acute myocardial infarction to forced immobilization, 910

denosine

Usefulness of adenosine for arrhythmias in infants and children, 336

Adenosine triphosphate

Comparative quantitative electrophysiologic effects of adenosine triphosphate on the sinus node and atrioventricular node, 330

AJC 25 Years Ago

The AJC in April 1963, 938 The AJC in February 1963, 495 The AJC in January 1963, 199 The AJC in June 1963, 1362 The AJC in March 1963, 671 The AJC in May 1963, 1149

Alcohol

Hemodynamic effects of alcohol at rest and during upright exercise in coronary artery disease, 61

'Allograft

Associations of HLA-A, B, DR antigens with primary disease in caro ac allograft recipients, 1359

Ambulatory monitoring

See also Holter monitoring
Arterial distensibility and ambulatory blood
pressure monitoring in essential
hypertension, 1063

Asymptomatic myocardial ischemia as a predictor of cardiac events after coronary artery bypass grafting for stable angina pectoris, 248

Left ventricular performance determined by ambulatory monitoring of systolic time intervals during daily activities in the late hospital phase of acute myocardial infarction, 1347 Anticiarone

Prospective evaluation of a discriminant function for prediction of recurrent symptomatic ventricular tachycardia or ventricular fibrillation in coronary artery disease patients receiving amiodarone and having inducible ventricular tachycardia at electrophysiologic study, 1024

Use dependence of amiodarone during the sinus tachycardia of exercise in coronary artery disease, 1042

Anastomosis

Rupture of an aneurysmal pulmonary trunk 40 years after Blalock-Taussig anastomosis, 477

Aneurysm

Atheroscierotic aneurysms of aortocoronary vein grafts, 185

Evolution of the responses to exercise in left ventricular aneurysms after anterior wall acute myocardial infarction, 236

Angina pectoris

Acute effects of felodipine in exertional angina pectoris, 691

Angina pectoris and coronary artery disease in severe aortic regurgitation, 826

Angiographic demonstration of a common link between unstable angina pectoris and non-Q wave acute myocardial infarction, 244

Asymptomatic myocardial ischemia as a predictor of cardiac events after coronary artery bypass grafting for stable angina pectoris, 248

Characteristics of silent and symptomatic myocardial ischemia during daily activities, 1223

Comparison of bevantolol and atenoiol in chronic stable angina, 1204

Comparison of effects of medical and surgical therapy on survival in severe angina pectoris and two-vessel coronary artery disease with and without left ventricular dysfunction: A Coronary Artery Surgery Study registry study, 1198

Effects of phentolamine and atropine on angina pectoris induced by handgrip test in patients with variant angina, 71

Factors of importance for prognosis in men with angina pectoris derived from a random population sample. The Multifactor Primary Prevention Trial, Gothenburg, Sweden, 530

Frequency of ST-segment depression produced by mental stress in stable angina pectoris from coronary artery disease, 989

Functional characteristics of nonischemic region during pacing-induced myocardial ischemia in angina pectoris, 1214

Lack of diurnal variation in maximal symptom-limited exercise test response in chronic stable angina, 38 Long-term bepridil monotherapy for angina pectoris, 1210

Percutaneous transluminal coronary angioplasty for angina pectoris after a non-Q-wave acute myocardial infarction, 240

Prognostic significance of angina pectoris before first acute myocardial infarction, 964

Reduction of nitroglycerin and isosorbide dinitrate by hemodialysis in refractory anglina pectoris after acute myocardial infarction, 954

Results of percutaneous transluminal coronary angioplasty for angina pectoris early after acute myocardial infarction, 1238

Results of percutaneous transluminal coronary angioplasty for unstable angina pectoris in patients 70 years of age and older, 994

Sustained antianginal efficacy of transdermal nitroglycerin patches using an overnight 10-hour nitrate-free interval, 46

Transient myocardial ischemia after abrupt withdrawal of antianginal therapy in chronic stable angina, 1219

Usefulness of serial radionuclide monitoring during graded nitroglycerin infusion for unstable angina pectoris for determining left ventricular function and individualized therapeutic dose, 885

Angiography
Angiographic demonstration of a common link between unstable angina pectoris and non-Q wave acute myocardial infarction, 244

Anglographic demonstration of spasm in a left internal mammary artery used as a bypass to the left anterior descending coronary artery, 1363

Assessment of left ventricular volume changes during exercise radionuclide angiography in coronary artery disease, 912

Asymptomatic form of left pulmonary artery sling, 177

Clinical and angiographic correlates and prognostic significance of the coronary extent score, 1255

Comparison of magnetic resonance imaging with echocardiography and radionuclide angiography in assessing cardiac function and anatomy following Mustard's operation for transposition of the great arteries, 1316

Comparison of pulsed Doppler echocardiography and radionuclide angiography in the assessment of left ventricular filling, 446

Coronary vasodilatory action after a single dose of nicorandii, 292

Correlation of left ventricular angiographic casts and biplane left ventricular volumetry in infants and children, 441

Effect of hospitalization on high density lipoprotein cholesterol in patients undergoing elective coronary angiography, 998 Methergin® testing with angiographically

Methergin® testing with angiographical normal coronary arteries, 298
"Microvascular angina" as a cause of

chest pain with angiographically normal coronary arteries, 1336

Primary coronary artery dissection observed at coronary angiography, 645

Early and late assessment of stenosis geometry after coronary arterial stenting, 546

Angioplasty, percutaneous transluminal coronary

Coronary blood flow velocity during percutaneous transluminal coronary angioplasty as a guide for assessment of the functional result, 253

Determinants and protective potential of coronary arterial collaterals as assessed by an angioplasty model, 677

Dynamics of early and late left ventricular filling determined by Doppler twodimensional echocardiography during percutaneous transluminal coronary angioplasty, 541

Effect of right coronary artery occlusion during percutaneous transluminal coronary angioplasty on right ventricular performance, 648

Heart rate response to intracoronary contrast media injection before and after percutaneous transluminal coronary angioplasty, 1117

Increased frequency of restenosis in patients continuing to smoke cigarettes after percutaneous transluminal coronary angioplasty, 260

Left main coronary artery stenosis after percutaneous transluminal coronary angioplasty, 459

Normalization of coronary flow reserve by percutaneous transluminal coronary angioplasty, 55

Percutaneous transluminal coronary angioplasty for angina pectoris after a non-Q-wave acute myocardial infarction, 240

Percutaneous transluminal coronary angioplasty in octogenarians, 457

Percutaneous transluminal coronary angioplasty in patients with two or more previous coronary artery bypass grafting operations, 1243

Results of percutaneous transluminal coronary angioplasty by multiple, relatively low frequency operators: 1986-1987 experience, 1229

Results of percutaneous transluminal coronary angioplasty for angina pectoris early after acute myocardial infarction, 1238

Results of percutaneous transluminal coronary angioplasty for unstable angina pectoris in patients 70 years of age and older, 994

Stability of multilead ST-segment 'fingerprints' over time after percutaneous transluminal coronary angioplasty and its usefulness in detecting reocclusion, 1232

Successful percutaneous transluminal angioplasty of an obstructed abdominal aorta secondary to a chronic dissection,

Treatment of recurrent restenosis with repeat percutaneous transiuminal coronary angioplasty, 906

Usefulness of early radionuclide angiography for identifying low-risk patients for late restenosis after percutaneous transluminal coronary angioplasty, 51

Angiotensin

Unrelated responses of brachial artery hemodynamics and renin-angiotens system to acute converting enzyme inhibition by enalaprilat in essential hypertension, 1056

Antiarrhythmic therapy See also Arrhythmia; Ventricular

arrhythmia Analysis of antiarrhythmic drug concentrations determined during electrophysiologic drug testing in patients with inducible tachycardias 922

Antiarrhythmic effect of a 5hydroxytryptamine M-receptor antagonist, ICS 205-930, 470

Arrhythmogenesis of antiarrhythmic drugs, 1108

Clinical predictors of arrhythmia worsening by antiarrhythmic drugs, 349 Direct and autonomically mediated effects of oral flecainide, 759

Enhanced efficacy of oral sotalol for sustained ventricular tachycardia refractory to type I antierrhythmic drugs, 1012

Immediate quantitation of antiarrhythmic drug effect by monophasic action potential recording in coronary artery disease, 1284

Noninvasive evaluation of indecalnide for serious ventricular tachyarrhythmia, 784

Relation of acute antiarrhythmic drug efficacy to left ventricular function in coronary artery disease, 1050

Aortic aneuryem

Aortic aneurysms after subclavian angioplasty repair of coarctation of the aorta, 951

Isolated descending thoracic aortic aneurysm in Marfan's syndrome, 1159

Aortic arch

Double aortic arch with bilateral coarctations, 196

Aortic balloon valvuloplasty

Changes in coronary blood flow and myocardial metabolism during aortic balloon valvuloplasty, 1080

Aortic coarctation

Coarctation of the aorta, biscuspid aortic valve and abnormal ascending aortic wall, 182

Early results of balloon angioplasty of native acrtic coarctation in young adults, 930

Aortic ejection sound

Prevalence and characteristics of the aortic ejection sound in adults, 142 Aortic regurgitation

See also Aortic valve

Angina pectoris and coronary artery disease in severe aortic regurgitation, 826

Color and pulsed-wave Doppler study of aortic regurgitation in systemic hypertension, 928

Determinants of anterior mitral leaflet fluttering in pure aortic regurgitation from a pulsed Doppler study of the early diastolic interaction between the regurgitant jet and mitral inflow, 1085

Pivotal role of aortic valve area calculation by the continuity equation for Doppler assessment of acrtic stenosis in patients with combined aortic stenosis and regurgitation, 376

The sign of the flashing wheal in acrtic regurgitation, 1158

See also Stenosis

A new and simple method to measure maximal aortic valve pressure gradie by Doppler echocardiography, 382

Comparison of outcome of asymptomatic to symptomatic patients older than 20 years of age with valvular aortic stenosis, 123

Dual balloon technique for valvuloplasty of aortic stenosis in adults, 583

Pivotal role of aortic valve area calculation by the continuity equation for Doppler assessment of aortic stenosis in patients with combined acrtic stenosis and regurgitation, 376

Usefulness of noninvasive assessment of aortic stenosis before and after percutaneous aortic valvulopiasty, 1300

Aortic valve

See also Aortic regurgitation

A new and simple method to measure maximal aortic valve pressure gradie by Doppler echocardiography, 382

Coronary ostial stenosis after aortic valve replacement without coronary cannulation, 1156

Pivotal role of aortic valve area calculation by the continuity equation for Doppler assessment of aortic stenosis in patients with combined aortic stenosis and regurgitation, 376

Arrhythmia

See also Antiarrhythmic therapy: Ventricular arrhythmia

Endocardial catheter fulguration for treatment of atrial flutter, 471

Inducible atrial flutter after the Mustard repair of complete transposition of the great arteries, 428

Limited value of programmed electrical stimulation from multiple right ventricular pacing sites in clinically sustained ventricular fibrillation or ventricular tachycardia associated with coronary artery disease, 303

Mechanism of death and prevalence of myocardial ischemic symptoms in the terminal event after acute myocardial infarction, 8

Prognostic significance of arrhythmia inducibility or noninducibility at initial electrophysiologic study in survivors of cardiac arrest, 578

Usefulness of adenosine for arrhythmias in infants and children, 336

Value of the signal-averaged electrocardiogram as a predictor of the results of programmed stimulation in nonsustained ventricular tachycardia, 1272

Arrhythmogenesis

Arrhythmogenesis of antiarrhythmic drugs, 1108

Arteriography

Correlation of coronary arteriography after acute myocardial infarction with predischarge limited exercise test response, 201

Effects of current therapy of Kawasaki disease on eicosanoid metabolism, 1323

Low dose aspirin after early thrombolysis in anterior wall acute myocardial infarction, 904

Usefulness of aspirin for coronary artery disease, 637

Comparison of bevantolol and atendiol in chronic stable angina, 1204

Comparison of the antihypertensive effects of betaxolol to atenolol, 807

Atheroeclerosis

See also Coronary artery disease
Atherogenic effects of beta blockers on
cells cultured from normal and
atheroscierotic aorta, 1116

Atherosclerotic aneurysms of aortocoronary vein grafts, 185

Electrocardiographic manifestations and in-hospital prognosis of transient acute myocardial ischemia at rest, 31

Atrial fibrillation

Bigominy during atrial fibrillation, 1154 Prevalence and significance of atrial fibrillation in coronary artery disease (CASS registry), 714

Propatenone for paroxysmal atrial fibrillation, 473

Proparenone for prevention of recurrent atrial fibrillation, 914

Atrial flutter

Endocardial catheter fulguration for treatment of atrial flutter, 471

Facilitating influence of disopyramide on airial flutter termination of overdrive pacing, 1046

Validation of double-spike electrograms as markers of conduction delay or block in atrial flutter, 775

Atrial natriuretic factor

Effects of repeated increments in right atrial pressure on secretion of atrial natriuretic factor, 932

Atrial natriuretic peptide

Atrial natriuretic peptide during supraventricular tachycardia and relation to hemodynamic changes and renal function, 1260

Atrial natriuretic peptide in acute Coxsacklevirus murine myocarditis, 1361

Atrial pacing

Acute termination of supraventricular tachyarrhythmias in children by transesophageal atrial pacing, 925

Correlation of minimum coronary lumen diameter with left ventricular functional impairment induced by atrial pacing, 597

Termination of sustained ventricular tachycardia by transesophageal atrial pacing, 463

Atrial pressure

Effects of repeated increments in right atrial pressure on secretion of atrial natriuretic factor, 932

Airial tachycardia

Atrial automatic tachycardia in children, 1127

Atrioventricular junction

Sudden death in hemochromatosis after closed-chest catheter ablation of the atrioventricular junction, 941

Atropine

Effects of phentolamine and atropine on angina pectoris induced by handgrip test in patients with variant angina, 71

Autonomic nervous system

Assessment by autonomic blockade of age-related changes of the sinus node function and autonomic regulation in sick sinus syndrome, 361

Components of heart rate variability measured during healing of acute myocardial infarction, 208

Autonomic regulation

Assessment of autonomic regulation in chronic congestive heart failure by heart rate spectral analysis, 1292 Autonomic tone

Intrinsic left ventricular contractility in normal subjects, 621

Balloon angioplasty

Early results of balloon angioplasty of native acrtic coarctation in young adults, 930

Results of percutaneous transluminal coronary angioplasty for angina pectoris early after acute myocardial infarction, 1238

Balloon pumping

Intraacrtic balloon pumping for prolonged circulatory support, 554

Risks associated with intraacrtic balloon pumping in patients with and without diabetes mellitus, 558

Balloon valvotomy

Percutaneous double balloon valvotomy for rheumatic tricuspid stenosis, 680

Balloon valvuloplasty
See also Valvuloplasty

Noninvasive assessment of mitral stenosis before and after percutaneous balloon mitral valvuloplasty, 817

Physiopathology of transient ventricular occlusion during balloon valvuloplasty for pulmonic or aertic stenosis, 426

Basement membrane

Basement membrane thickening in cardiac myocytes and capillaries in chronic Chagas' disease, 1137

Bendroflumethiazide

Age and antihypertensive drugs (hydrochlorothiazide, bendroflumethiazide, nadolol and captopril), 117

Bepridil

Long-term bepridil monotherapy for angina pectoris, 1210

Beta-adrenergic blockade

Atherogenic effects of beta blockers on cells cultured from normal and atherosclerotic aorts, 1116

Impaired beta-adrenergic receptor and normal postreceptor responsiveness in congestive heart failure, 1132

Beta-adrenergic stimulation

Effects of beta-adrenergic stimulation on atrial latency and atrial vulnerability in patients with paroxysmal supraventricular tachycardia, 1031

Betaxolol

Comparison of the antihypertensive effects of betaxolol to atenolol, 807

Bevantoloi

Comparison of bevantolol and atenoiol in chronic stable angina, 1204

Bioprostheses

Bioprostheses in tricuspid and mitral valve positions for 100 months with heavier calcific deposits on the left-sided valve followed by new bioprostheses in both positions for 95 months with heavier calcific deposits on the right-sided valve, 947-

Comparative study of primary tissue failure between porcine (Hancock and Carpentier-Edwards) and bovine pericardial (Ionescu-Shiley) bioprostheses in the aortic position at five- to nine-year follow-up, 812

Blalock-Taussig anastomosis

Rupture of an aneurysmal pulmonary trunk 40 years after Blalock-Taussig anastomosis, 477

Blood flow

Assessment of mitral flow velocity with

exercise by an index of stress-induced left ventricular ischemia in coronary artery disease, 536

Changes in coronary blood flow and myocardial metabolism during acrtic balloon valvuloplasty, 1080

Coronary blood flow velocity during percutaneous transluminal coronary angioplasty as a guide for assessment of the functional result, 253

Influence of sublingual nitroglycerin on diastolic transmitral flow velocities in normal subjects, 481

Limits of reproducibility of mitral pulsed Doppler spectra, 891

Serial evaluation of left ventricular function in congestive heart failure by measurement of peak aortic blood acceleration, 367

Blood pressure

See also Hypertension; Systemic hypertension

Arterial distensibility and ambulatory blood pressure monitoring in essential hypertension, 1066

Comparison of blood pressure response to exogenous epinephrine in hypertensive men and women, 1288

Correlates of systolic and diastolic blood pressure in men 40 to 59 years of age sampled from United States of America and Union of Soviet Socialist Republics Lipid Research Clinics Populations, 1071

Does effective diastolic coronary venous retroperfusion depend on arterial-like blood pressure in the coronary sinus? 1148

Effect of trehavior state on caffeine's ability to alter blood pressure, 798

Factors of importance for prognosis in men with angina pectoris derived from a random population sample. The Multifactor Primary Prevention Trial, Gothenburg, Sweden, 530

Body weight

Clinical features of mitral valve prolapse associated with low body weight, 662 Bundle branch block

Clinical significance of exercise-induced bundle branch block, 346

Effect of conduction defects on the signalaveraged electrocardiographic determination of late potentials, 1265

Electrocardiographic criteria for ventricular tachycardia in wide complex left bundle branch block morphology tachycardias, 1279

Caffeine

Effect of behavior state on caffeine's ability to alter blood pressure, 798 Calcium antagonists

Acute effects of felodipine in exertional angina pectoris, 691

Acute hemodynamic effects of intravenous isradipine, 1102

Relation between serum nifedipine concentration and hemodynamic effects in nonobstructive hypertropic cardiomyopathy, 830

Captopril

Age and antihypertensive drugs (hydrochlorothiazide, bendroflumethiazide, nadolol and captopril), 117

Cardiac anatomy

Comparison of magnetic resonance imaging with echocardiography and radionuclide angiography in assessing cardiac function and anatomy following Mustard's operation for transposition of the great arteries, 1316

Cardiac anomalies

Complex of discrete subaortic stenosis, single coronary artery arising from a small left aortic sinus, a rudimentary low-seated left acrtic cusp and a congenital aortic regurgitation, 479

Cardiac arrest

Comparison of outcome of resuscitation of out-of-hospital cardiac arrest in persons younger and older than 70 years of age, 1120

Fatal and nonfatal cerdiac arrest in patients with an implanted antitachycardia device for the treatment of supraventricular tachycardia, 919

Prognostic significance of arrhythmia inducibility or noninducibility at initial electrophysiologic study in survivors of cardiac arrest, 578

Cardiac Arrhythmia Pilot Study

Recruitment and baseline description of patients in the Cardiac Arrhythmia Pliot Study, 704

Cardiac catheterization

Contrast media-related complications during cardiac catheterization using Hexabrix or Renografin in high-risk patients, 1334

Cardiac contusion

Frequency of cardiac contusion in nonpenetrating chest injury, 391

Cardiac function

Accuracy of electrical impedance cardiography for measuring cardiac output in children with congenital heart defects, 612

Comparison of magnetic resonance imaging with echocardiography and radionuclide angiography in assessing cardiac function and anatomy following Mustard's operation for transposition of the great arteries, 1316

Cardiac rehabilitation

Comparison of high- and low-intensity exercise training early after acute myocardial infarction, 26

Cardiac strangulation

Cardiac strangulation: two-dimensional echo recognition of a rare complication of epicardial pacemaker therapy, 654

Cardiac transplantation

Delayed reversal of impaired vasodilation in congestive heart failure after heart transplantation, 1076

Diurnal variations of QT interval after cardiac transplantation, 482

Hemodynamic profiles at rest and during supine exercise after orthotopic cardiac transplantation, 1328

The 24-hour heart rate behavior in longterm survivors of cardiac transplantation, 880

Timing of cardiac transplantation in idiopathic dilated cardiomyopathy, 418

Cardiac tumors

Cardiac tumors associated with hereditary syndromes, 1355

Cardiomegaly Sudden death and cardiomegaly unassociated with coronary, valvular, congenital or specific myocardial disease, 659

Cardiomyopathy

Optimum heart rate of large failing hearts, 633

Relation of left ventricular function and Na,K-pump concentration in suspected idiopathic dilated cardiomyopathy, 1312

The calamity of cardioversion of

conscious patients, 1106 atheter fulguration Endocardial catheter fulguration for treatment of atrial flutter, 471

Coronary blood flow velocity during percutaneous transluminal coronary angioplasty as a guide for ass of the functional result, 253

Chagas' disease

Basement membrane thickening in cardiac myocytes and capillaries in chronic Chagas' disease, 1137

Chest pain

Diagnostic value for coronary artery disease of chest pain during dipyridamole-thallium stress testing, 43

Accuracy of electrical impedance cardiography for measuring cardiac output in children with congenital heart defects, 612

Acute termination of supraventricular tachyarrhythmias in children by transesophageal atrial pacing, 925

Atrial automatic tachycardia in children, 1127

Cardiorespiratory exercise testing after venous switch operation in children with complete transposition of the great arteries, 861

Congenital cardiomyopathy and cataracts with lactic acidosis, 193

Correlation of left ventricular anglographic casts and biplane left ventricular volumetry in infants and children, 441

Correlation of right ventricular volume using axial angulated ventriculography to known right ventricular cast volume in infants and children with congenital heart disease, 161

Effects of verapamil on left ventricular diastolic filling in children with hypertrophic cardiomyopathy, 413

Epicardial ventricular pacemake electrode longevity in children, 104 Impact of two-dimensional and Dopple echocardiography on care of children

aged two years and younger, 166 Usefulness of adenosine for arrhythmias in infants and children, 336

Effect of hospitalization on high density lipoprotein cholesterol in patients undergoing elective coronary angiography, 998

Factors of importance for prognosis in men with angina pectoris derived from a random population sample. The Multifactor Primary Prevention Trial, Gothenburg, Sweden, 530

Cigarette smoking

Factors of importance for prognosis in men with angina pectoris derived from a random population sample. The Multifactor Primary Prevention Trial, Gothenburg, Sweden, 530

Intrasortic balloon pumping for prolonged circulatory support, 554 The pulmonary circulation in ess

systemic hypertension, 1061

Aortic aneurysms after subclavian

angioplasty repair of coarctation of the aorta, 951

Coarctation of the aorta, biscuspid aortic valve and abnormal ascending acrtic wali, 182

Double aortic arch with bilateral coarctations, 196

Coronary artery spasm, cardiac arrest, transient electrocardiographic Q waves and stunned myocardium in cocaineassociated acute myocardial interction. 939

Collaterals

Determinants and protective potential of coronary arterial collaterals as assessed by an angioplasty model, 677

influence of stenosis severity on coronary collateral development and importance of collaterals in maintaining left ventricular function during acute coronary occlusion, 866

omparative studies
Results of percutaneous transluminal
coronary angioplasty by multiple, relatively low frequency operators: 1986–1987 experience, 1229

omplexes Isolated congenital right ventricular diverticulum with ventricular premature complexes, 480

suction

Allorhythmic preexcitation due to anterograde concealed Kent bundle conduction, 652

Effect of conduction defects on the signalaveraged electrocardiographic determination of late potentials, 1265

Electrophysiologic effects of propranoiol in intraventricular conduction disturbance, 341

Modulation of atrioventricular nodal conduction using radiofrequency current, 657

engenital diverticulum Isolated congenital right ventricular diverticulum with ventricular premature complexes, 480

penital heart dise

Correlation of left ventricular anglographic casts and biplane left ventricule volumetry in infants and children, 441

Correlation of right ventricular volume using axial angulated ventriculography to known right ventricular cast volumes in infants and children with congenital heart disease, 161

Effect of iron deficiency on tissue oxygen delivery in cyanotic congenital heart disease, 605

Follow-up of the family with congenital absence of sinus rhythm, 467

impact of two-dimensional and Doppler echocardiography on care of children aged two years and younger, 166 Results of the modified Fontan operation

in adults, 602

"Woven" right coronary artery: A previously undescribed congenital anomaly, 1158

stive heart failure

A XII century description of congestive heart failure, 494

A controlled trial of digoxin in congestive heart failure, 371

Assessment of autonomic regulation in chronic congestive heart failure by heart rate spectral analysis, 1292

Delayed reversal of impaired vasodilation in congestive heart failure after heart transplantation, 1076

Determinants of survival in patients with malignant ventricular arrhythmia associated with coronary artery disease, 791

impaired beta-adrenergic receptor and normal postreceptor responsiveness in congestive heart failure, 1132

Intraacrtic balloon pumping for prolonged circulatory support, 554

Serial evaluation of left ventricular function in congestive heart failure by measurement of peak aortic blood acceleration, 367

Conner, Lewis A.

Lewis A. Conner, MD (1867–1950), and lessons learned from examining four million young men in World War I, 900

Converting enzyme inhibition Lisinopril versus lisinopril plus hydrochlorothiazide in essential hypertension, 803

Unrelated responses of brachial artery hemodynamics and renin-angiotensin system to acute converting enzyme inhibition by enalaprilat in essential hypertension, 1058

Coronary arteries

Angiographic demonstration of spasm in a left internal mammary artery used as a bypass to the left anterior descending coronary artery, 1363

Early and late assessment of stenosis geometry after coronary arterial stenting, 546

"Microvascular angina" as a cause of chest pain with angiographically normal coronary arteries, 1338

Reconstruction with a Dacron® tube graft of an anomalous left main coronary artery arising from the pulmonary trunk with 19-year asymptomatic period thereafter, 195

Relation of coronary arterial patency and left ventricular function to electrocardiographic changes after streptokinase treatment during acute myocardial infarction, 961

"Woven" right coronary artery: A previously undescribed congenital anomaly, 1158

Coronary artery bypass grafting See also Surgery

An ischemic index from the electrocardiogram to select patients with low left ventricular ejection fraction for coronary artery bypass grafting, 288

Asymptomatic myocardial ischemia as a predictor of cardiac events after coronary artery bypass grafting for stable angina pectoris, 248

Effect of coronary artery bypass grafting on left ventricular diastolic function, 283

Percutaneous transluminal coronary angioplasty in patients with two or more previous coronary artery bypass grafting operations, 1243

Recovery of severe ischemic ventricular dysfunction after coronary artery bypass grafting, 650

Short-term effect of coronary artery bypass grafting on the signal-averaged electrocardiogram, 1001

The effect of coronary artery bypass grafting on left ventricular systolic

function at rest: evidence for preoperative subclinical myocardial ischemia, 1248

Coronary artery disease See also Atherosclerosis

Aneurysmal coronary artery disease in cerebrotendinous xanthomatosis, 1150

Angina pectoris and coronary artery disease in severe aortic regurgitation, 826

Assessment of left ventricular volume changes during exercise radionuclide angiography in coronary artery disease, 912

Assessment of mitral flow velocity with exercise by an index of stress-induced left ventricular ischemia in coronary artery disease, 536

Body surface potential maps with lowlevel exercise in isolated left anterior descending coronary artery disease, 273

Clinical and angiographic correlates and prognostic significance of the coronary extent score, 1255

Clinical significance of exercise-induced bundle branch block, 346

Comparison of effects of medical and surgical therapy on survival in severe angine pectoris and two-vessel coronary artery disease with and without left ventricular dysfunction: A Coronary Artery Surgery Study registry study, 1198

Coronary artery disease in women, 641 Correlation of coronary arteriography after acute myocardial infarction with predischarge limited exercise test response, 201

Determinants of survival in patients with malignant ventricular arrhythmia associated with coronary artery disease, 791

Diagnostic value for coronary artery disease of chest pain during dipyridamole-thallium stress testing, 43

Early assessment of the effect of mapguided transcatheter intracardiac electric shock on sustained ventricular tachycardia secondary to coronary artery disease, 1018

Effect of nifedipine on out-of-hospital silent myocardial ischemia in asymptomatic men with coronary artery disease, 908

Electrophysiologic effects of intravenous and oral sotalol for sustained ventricular tachycardia secondary to coronary artery disease, 1006

Frequency of ST-segment depression produced by mental stress in stable angina pectoris from coronary artery disease, 989

Hemodynamic effects of alcohol at rest and during upright exercise in coronary artery disease, 61

Immediate quantitation of antiarrhythmic drug effect by monophasic action potential recording in coronary artery disease, 1284

Limited value of programmed electrical stimulation from multiple right ventricular pacing sites in clinically sustained ventricular fibrillation or ventricular tachycardia associated with coronary artery disease, 303

Myocardial metabolic and hemodynamic effects of dichloroacetate in coronary artery disease, 65

Prevalence and significance of atrial fibrillation in coronary artery disease

(CASS registry), 714

Prognostic significance of angina pectoris before first acute myocardial infarction, 984

Prospective evaluation of a discriminant function for prediction of recurrent symptomatic ventricular tachycardia or ventricular fibrillation in coronary artery disease patients receiving amiodarone and having inducible ventricular tachycardia at electropysiologic study, 1024

Psychosocial and physiological predictors of sudden cardiac death after healing of acute myocardial infarction, 979

Relation of acute antiarrhythmic drug efficacy to left ventricular function in coronary artery disease, 1050

Short- and long-term reproducibility of the signal-averaged electrocardiogram in coronary artery disease, 1123

Short-term risk stratification at admission based on simple clinical data in acute myocardial infarction, 216

The effect of coronary artery bypass grafting on left ventricular systolic function at rest: evidence for preoperative subclinical myocardial ischemia, 1248

Use dependence of amiodarone during the sinus tachycardia of exercise in coronary artery disease, 1042

Usefulness of aspirin for coronary artery disease, 637

Use of exercise thallium-201 imaging for risk stratification of elderly patients with coronary artery disease, 269

Coronary artery occlusion

Effect of right coronary artery occlusion
during percutaneous transluminal
coronary angioplasty on right

ventricular performance, 648
Coronary artery spasm
Supersensitivity of coronary arteries in

variant angina to spasm induced by intracoronary acetylcholine, 77
Coronary artery stenosis

Determinants and protective potential of coronary arterial collaterals as assessed by an angioplasty model, 677 Isolated left main coronary artery stenosis and mediastinal radiotherapy as an etiologic factor, 1119

Coronary Artery Surgery Study (CASS)
Comparison of effects of medical and
surgical therapy on survival in severe
angina pectoris and two-vessel
coronary artery disease with and
without left ventricular dysfunction: A
Coronary Artery Surgery Study registry
study, 1198

Prevalence and significance of atrial fibrillation in coronary artery disease (CASS registry), 714

Coronary flow reserve

Normalization of coronary flow reserve by percutaneous transfurninal coronary angloplasty, 55

Coronary sinus

Does effective diastolic coronary venous retroperfusion depend on arterial-like blood pressure in the coronary sinus? 1148

Coronary spasm

Electrocardiographic manifestations and in-hospital prognosis of transient acute myocardial ischemia at rest, 31

Creatine kinase

Prognostic significance of an early rise to peak creatine kinase after acute myocardial infarction, 1178

Usefulness of lactate dehydrogenase and lactate dehydrogenase isoenzymes for diagnosis of acute myocardial infarction, 754

Death, sudden

Determinants of survival in patients with malignant ventricular arrhythmia associated with coronary artery disease, 791

Mechanism of death and prevalence of myocardial ischemic symptoms in the terminal event after acute myocardial infarction, 8

Psychosocial and physiological predictors of sudden cardiac death after healing of acute myocardial infarction, 979

Sudden death in hemochromatosis after closed-chest catheter ablation of the atrioventricular junction, 941

Defibrillation

Developments, complications and limitations of catheter-mediated electrical ablation of posterior accessory atrioventricular pathways, 309

Sensitivity of an automatic external defibrillator for ventricular tachyarrhythmias in patients undergoing electrophysiologic studies, 787

Diabetes mellitus

Left ventricular filling determined by Doppler echocardiography in diabetes mellitus, 1140

Risks associated with intraaortic balloon pumping in patients with and without diabetes mellitus, 558

Diastole

Correlates of systolic and diastolic blood pressure in men 40 to 59 years of age sampled from United States of America and Union of Soviet Socialist Republics Lipid Research Clinics Populations, 1071

Effect of coronary artery bypass grafting on left ventricular diastolic function, 283

Effect of mitral regurgitation on diastolic filling with left ventricular hypertrophy, 590

Effects of verapamil on left ventricular diastolic filling in children with hypertrophic cardiomyopathy, 413

Left ventricular filling in sickle cell anemia, 395

Dichloroacetate

Myocardial metabolic and hemodynamic effects of dichloroacetate in coronary artery disease, 65

Digoxin

A controlled trial of digoxin in congestive heart failure, 371

Diltiazem

Effect of diltiazem on myocardial infarct size estimated by enzyme release, serial thallium-201 single-photon emission computed tomography and radionuclide angiography, 1172

Dipyridamole

Comparison of dipyridamole-handgrip test and bicycle exercise test for thallium tomographic imaging, 264

Diagnostic value for coronary artery disease of chest pain during dipyridamole-thallium stress testing, 43 Disopyramide

Facilitating influence of disopyramide on atrial flutter termination of overdrive pacing, 1046

Doppler ultrasound See also Echocardiography; Twodimensional echocardiography

A new and simple method to measure maximal aortic valve pressure gradi by Doppler echocardiography, 382

Color and pulsed-wave Doppler study of aortic regurgitation in systemic hypertension, 928

Determinants of anterior mitral leaflet fluttering in pure aortic regurgitation from a pulsed Doppler study of the early diastolic interaction between the regurgitant jet and mitral inflow, 1085

Doppler assessment of changes in rightsided cardiac hemodynamics after pulmonary thromboendarterectomy. 1092

Doppler ultrasound evaluation of valvar pulmonary stenosis from multiple transducer positions in children requiring pulmonary valvuloplasty, 844 Limits of reproducibility of mitral pulsed

Doppler spectra, 891

Noninvasive measurement of right ventricular systolic pressure by combined color-coded and continuous wave Doppler ultrasound, 668

Overestimation by Doppler echocardiography of pressure gradients across Starr-Edwards prosthetic valves in the aortic position, 475

Pivotal role of aortic valve area calculation by the continuity equation for Doppler assessment of acrtic stenosis in patients with combined aortic stenosis and regurgitation, 376

Tricuspid and mitral regurgitation detected by color flow Doppler in the acute phase of Kawasaki disease, 386

Usefulness of noninvasive assessment of aortic stenosis before and after percutaneous aortic valvuloplasty, 1300

Echocardiography See also Doppler ultrasound; Twodimensional echocardiography

An echocardiographic study of the association of ventricular septal defect and right ventricular muscle bundle with a fixed subsortic abnormality, 857

A new and simple method to measure maximal aortic valve pressure gradi by Doppler echocardiography, 382

Assessment of mitral flow velocity with exercise by an index of stress-induced left ventricular ischemia in coronary artery disease, 536

Clinical and hemodynamic comparison of VVI versus DDD pacing in patients with DDD pacemakers, 323

Comparison of five methods for the measurement of left ventricular ejection time, 492

Comparison of magnetic resonance imaging with echocardiography and radionuclide angiography in assessing cardiac function and anatomy following Mustard's operation for transposition of the great arteries, 1316

Comparison of outcome of asymptomatic to symptomatic patients older than 20 years of age with valvular aortic stenosis, 123

Comparison of pulsed Doppler echocardiography and radionuclide anglography in the assessment of left ventricular filling, 446

Detection of thromboembolus of the right pulmonary artery by transesophages two-dimensional echocardiography, 488

Doppler echocardiographic assessment of atrial filling fraction in severe mitral stenosis, 1354

Dynamics of early and late left ventricular filling determined by Doppler twodimensional echocardiography during percutaneous transluminal coronary angioplasty, 541

Echocardiographic abnormalities in the mucopolysaccharide storage diseases,

Echocardiographic evaluation of obstructive mechanism of tetralogy of Fallot with restrictive ventricular septal defect, 664

Echocardiographic findings in systemic lupus erythematosus, 1144

Effect of coronary artery bypass grafting on left ventricular diastolic function,

Effects of spontaneous respiration on diastolic left ventricular filling assessed by pulsed Doppler echocardiography, 1356

Frequency of cardiac contusion in nonpenetrating chest injury, 391 Impact of two-dimensional and Doppler

echocardiography on care of children aged two years and younger, 166 Left ventricular dysfunction after

prolonged strenuous exercise in healthy subjects, 875 Left ventricular filling determined by

Doppler echocardiography in diabetes mellitus, 1140 M-mode echocardiograms for

determination of optimal left atrial timing in patients with dual chamber pacemakers, 317

Noninvasive assessment of hemodynamic responses to exercise in pulmonary regurgitation after operations to correct pulmonary outflow obstruction, 595

Noninvasive assessment of mitral stenosis. before and after percutaneous balloon mitral valvuloplasty, 817

Overestimation by Doppler echocardiography of pressure gradients across Starr-Edwards prosthetic valves in the aortic position, 475

Provocation and amplification of the transvalvular pressure gradient in rheumatic tricuspid stenosis, 1307

Reassessment of echocardiographic criteria for diagnosis of mitral valve prolapse, 131

Significance of Doppler-detected mitral regurgitation in acute myocardial infarction, 220

Surgical risk factors in total anomalous pulmonary venous connection, 608

Usefulness of echocardiographic left ventricular hypertrophy in predicting new coronary events and atherothrombotic brain infarction in patients over 62 years of age, 1130

Usefulness of noninvasive asse cortic stenosis before and after percutaneous aortic valvuloplasty, 1300

Ejection fraction

An ischemic index from the electrocardiogram to select patients with low left ventricular ejection fraction for coronary artery bypass grafting, 288

- Influence on prognosis and morbidity of left ventricular ejection fraction with and without signs of left ventricular failure after acute myocardial infarction, 1165
- Limitations in the interpretation of restexercise ejection fraction changes after early thrombolytic therapy during acute myocardial infarction, 743
- Usefulness of echocardiographic abnormal left ventricular ejection fraction, peroxysmal ventricular tachycardia and complex ventricular arrhythmias in predicting new coronary events in patients over 62 years of age, 1349

Elderly patients

- Assessment by autonomic blockade of age-related changes of the sinus node function and autonomic regulation in sick sinus syndrome, 361
- Comparison of outcome of resuscitation of out-of-hospital cardiac arrest in persons younger and older than 70 years of age, 1120
- Percutaneous transluminal coronary angioplasty in octogenarians, 457
- Results of percutaneous transluminal coronary angioplasty for unstable angina pectoris in patients 70 years of age and older, 994
- Usefulness of echocardiographic abnormal left ventricular ejection fraction, peroxysmal ventricular tachycardia and complex ventricular arrhythmias in predicting new coronary events in patients over 62 years of age, 1349
- Usefulness of echocardiographic left ventricular hypertrophy in predicting new coronary events and atherothrombotic brain infarction in patients over 62 years of age, 1130
- Use of exercise thallium-201 imaging for risk stratification of elderly patients with coronary artery disease, 269

Electrical ablation

Developments, complications and limitations of catheter-mediated electrical ablation of posterior accessory atrioventricular pathways, 309

Electrical stimulation

- Early assessment of the effect of mapguided transcatheter intracardiac electric shock on sustained ventricular tachycardia secondary to coronary artery disease, 1018
- Limited value of programmed electrical stimulation from multiple right ventricular pacing sites in clinically sustained ventricular fibrillation or ventricular tachycardia associated with coronary artery disease, 303
- Linking by collision initiated in the absence of preexisting reentrant tachycardia, 354
- Ventriculoatrial conduction and atrial
 activation during ventricular flutter and
 fibrillation, 916

Electrocardiography

- A comparative study of thallium-201 single-photon emission computed tomography and electrocardiography in Duchenne and other types of muscular dystrophy, 836
- Allorhythmic preexcitation due to anterograde concealed Kent bundle conduction, 652
- An ischemic index from the electrocardiogram to select patients

- with low left ventricular ejection fraction for coronary artery bypass grafting, 288
- Characteristics of entrainment during autodecremental strial and ventricular stimulation, 761
- Development and validation of an automated method of the Selvester QRS scoring system for myocardial infarct size, 734
- Effect of conduction defects on the signalaveraged electrocardiographic determination of late potentials, 1265
- Electrocardiographic criteria for ventricular tachycardia in wide complex left bundle branch block morphology tachycardias. 1279
- Electrocardiographic detection of left ventricular hypertrophy in the presence of left anterior fascicular block, 1098
- Evaluation of a QRS scoring system for estimating myocardial infarct size. VI: identification of screening criteria for non-acute myocardial infarcts, 729
- Left axis deviation and left anterior fascicular block, 869
- Modulation of atrioventricular nodal conduction using radiofrequency current, 657
- Natural history of late potentials in the first ten days after acute myocardial infarction and relation to early ventricular arrhythmias, 1187
- Relation of coronary arterial patency and left ventricular function to electrocardiographic changes after streptokinase treatment during acute myocardial infarction, 961
- Short- and long-term reproducibility of the signal-averaged electrocardiogram in coronary artery disease, 1123
- Short-term effect of coronary artery bypass grafting on the signal-averaged electrocardiogram, 1001
- Significance of Q-wave regression after transmural acute myocardial infarction, 739
- Transient myocardial ischemia after abrupt withdrawal of antiangina! therapy in chronic stable angina, 1219
- Use of initial ST-segment deviation for prediction of final electrocardiographic size of acute myocardial infarcts, 749
- Validation of double-spike electrograms as markers of conduction delay or block in atrial flutter, 775
- Value of the signal-averaged electrocardiogram as a predictor of the results of programmed stimulation in nonsustained ventricular tachycardia, 1272

Electrophysiology

- Analysis of antierrhythmic drug concentrations determined during electrophysiologic drug testing in patients with inducible tachycardias, 922
- Comparative quantitative electrophysiologic effects of adenosine triphosphate on the sinus node and atrioventricular node, 330
- Coupling intervals of ventricular extrastimuli causing resetting of sustained ventricular tachycardia secondary to coronary artery disease: relation to subsequent termination, 770 Direct and subsequent termination for the coupling medical effects of the
- Direct and autonomically mediated effects of oral flecalnide, 759
- Effects of beta-adrenergic stimulation on atrial latency and atrial vulnerability in patients with paroxysmal

- supraventricular tachycardia, 1031
 Electrophysiologic effects of intravenous and oral sotalol for sustained ventricular tachycardia secondary to coronary
- artery disease, 1006
 Electrophysiologic effects of propranoiol in intraventricular conduction disturbance, 341
- Enhanced efficacy of oral sotalol for sustained ventricular tachycardia refractory to type I antiarrhythmic drugs, 1012
- Epicardial ventricular pacemaker electrode longevity in children, 104 Morte d'amour with subsequent
- electrophysiologic studies, 1364
 Pharmacodynamics of intravenous
 proceinamide as used during acute
 electrophermacologic testing, 93
- Prognostic significance of arrhythmia inducibility or noninducibility at initial electrophysiologic study in survivors of cardiac arrest, 578
- Prospective evaluation of a discriminant function for prediction of recurrent symptomatic ventricular tachycardia or ventricular fibrillation in coronary artery disease patients receiving amiodarone and having inducible ventricular tachycardia at electropysiologic study,
- Sensitivity of an automatic external defibrillator for ventricular tachyarrhythmias in patients undergoing electrophy lologic studies, 787
- Termination of sustained ventricular tachycardia by external noninvasive pacing, 574
- Usefulness of isoproterenol in facilitating atrioventricular nodal reentry tachycardia during electrophysiologic testing, 1037

Enalaprilat

Unrelated responses of brachial artery hemodynamics and renin-angiotensin system to acute converting enzyme inhibition by enalaprilat in essential hypertension, 1056

Encalnide

Effects of encainide, flecainide, impramine and moricizine on ventricular arrhythmias during the year after acute myocardial infarction: the CAPS, 501

Entrainment

- Characteristics of entrainment during autodecremental atrial and ventricular stimulation, 781
- Linking by collision initiated in the absence of preexisting reentrant tachycardia, 354
- Transient entrainment of pacemaker circus movement tachycardia, 943

Epinephrine

Comparison of blood pressure response to exogenous epinephrine in hypertensive men and women, 1288

Ergonovine

Electrocardiographic manifestations and in-hospital prognosis of transient acute myocardial ischemia at rest, 31

Exercise

- See also Exercise testing
 Assessment of mitral flow velocity with
 exercise by an index of stress-induced
 left ventricular ischemia in coronary
- artery disease, 536
 Body surface potential maps with lowlevel exercise in isolated left anterior descending coronary artery disease, 273

- Clinical and hemodynamic comparison of VVI versus DDD pacing in patients with DDD pacemakers, 323
- Comparison of high- and low-intensity exercise training early after acute myocardial infarction, 26
- Evolution of the responses to exercise in left ventricular aneurysms after anterior wall acute myocardial infarction, 236
- Hemodynamic effects of alcohol at rest and during upright exercise in coronary artery disease, 61
- Hemodynamic profiles at rest and during supine exercise after orthotopic cardiac transplantation, 1328
- Left ventricular dysfunction after prolonged strenuous exercise in healthy subjects, 875
- Left ventricular filling in sickle cell anemia, 395
- Lipoprotein profiles of elite veteran endurance athletes, 934
- Pioninvasive assessment of hemodynamic responses to exercise in pulmonary regurgitation after operations to correct pulmonary outflow obstruction, 595
- Strategies for increasing early adherence to and long-term maintenance of homebased exercise training in healthy middle-aged men and women, 628 Use dependence of amiodarone during the
- sinus tachycardia of exercise in coronary artery disease, 1042

Exercise testing

- See also Exercise
- Cardiorespiratory exercise testing after venous switch operation in children with complete transposition of the great arteries, 861
- Clinical significance of exercise-induced bundle branch block, 346
- Comparison of bevantolol and atenolol in chronic stable angina, 1204
- Comparison of dipyridamole-handgrip test and bicycle exercise test for thallium tomographic imaging, 264
- Correlation of coronary arteriography after acute myocardial infarction with predischarge limited exercise test response, 201
- Effects of phentolamine and atropine on angina pectoris induced by handgrip test in patients with variant angina, 71
- Importance of adjusting left ventricular diastolic peak filling rate for heart rate, 489
- Influence of long-term metoprolol treatment on early and late exercise test performance after acute myocardial infarction, 519
- Jogging in place: A valid alternative to multistage exercise testing, 1146
- Lack of diurnal variation in maximal symptom-limited exercise test response in chronic stable angina, 38
- Left ventricular dysfunction after prolonged strenuous exercise in healthy subjects, 875
- Limitations in the interpretation of restexercise ejection fraction changes after early thrombolytic therapy during acute myocardial infarction, 743
- Long-term bepridil monotherapy for angina pectoris, 1210
- Relation of results of exercise stress tests in young women to phases of the menstrual cycle, 197
- The pulmonary circulation in essential systemic hypertension, 1061
- Use of exercise thallium-201 imaging for risk stratification of elderly patients with

coronary artery disease, 269

Fascicular block

Electrocardiographic detection of left ventricular hypertrophy in the pre of left anterior fascicular block, 1098

F-18 deoxyglucose

F-18 deoxyglucose and stress N-13 ammonia positron emission tomography in anterior wall healed myocardial infarction, 1191

Acute effects of felodipine in exertional angina pectoris, 691

ng rate

Importance of adjusting left ventricular diastolic peak filling rate for heart rate, 489

- Direct and autonomically mediated effects of oral flecainide, 759
- Effects of encainide, flecainide, imipramine and moricizine on ventricular arrhythmias during the year after acute myocardial infarction: the **CAPS, 501**

Fontan procedure

Results of the modified Fontan operation in adults, 602

From the Editor

AJC Editorial Board Meeting-March 1988, 1161

The AJC in 1987, 672

- The Kingdom of Saudi Arabia, oil, money and cardiology, 410
- The logic of using either two mechanical valves or two bioprosthetic valves for replacement of both mitral and aortic valves, 871
- Stone agers in the atomic age: lessons from the Paleolithic life-style for modern man, 1365

lum-67 Prevalence and significance of gallium-67 uptake in the heart after open-hoart surgery, 405

Grafting

- Atherosclerotic aneurysms of aortocoronary vein grafts, 185
- Prolonged infusion of urokinase for recanalization of chronically occlude
- aortocoronary bypass grafts, 189 Reconstruction with a Dacron® tube graft of an anomalous left main coronary artery arising from the pulmonary trunk with 19-year asymptomatic period thereafter, 195

Heart rate

- Assessment of autonomic regulation in chronic congestive heart failure by heart rate spectral analysis, 1292
- Components of heart rate variability measured during healing of acute
- myocardial infarction, 208 Effect of increasing heart rate on left ventricular performance in patients with normal cardiac function, 617
- Heart rate response to intracoronary contrast media injection before and after percutaneous transluminal
- coronary angioplasty, 1117 Importance of adjusting left ventricular diastolic peak filling rate for heart rate, 489
- Optimum heart rate of large falling hearts, 633
- The 24-hour heart rate behavior in longterm survivors of cardiac transplantation, 880

Helicopter transport

Helicopter transport of patients during

acute myocardial infarction, 718

- Acute hemodynamic effects of intravenous isradipine, 1102
- Atrial natriuretic peptide during supraventricular tachycardia and relation to hemodynamic changes and renal function, 1260

1381

- Comparison of blood pressure response to exogenous epinephrine in hypertensive men and women, 1288
- Coronary vasodilatory action after a single dose of nicorandii, 292
- Doppler assessment of changes in right-sided cardiac hemodynamics after pulmonary thromboendarierectomy, 1092
- Effect of behavior state on caffeine's ability to alter blood pressure, 798
- Hemodynamic effects of alcohol at rest and during upright exercise in coronary artery disease, 61
- Hemodynamic profiles at rest and during supine exercise after orthotopic cardiac transplantation, 1328
- Noninvasive assessment of hemodynamic responses to exercise in pulmonary regurgitation after operations to correct pulmonary outflow obstruction, 595
- Provocation and amplification of the transvalvular pressure gradient in rheumatic tricuspid stenosis, 1307
- Unrelated responses of brachial artery hemodynamics and renin-angiotens system to acute converting enzyme inhibition by enalaprilat in essential hypertension, 1056

ereditary syndromes

Cardiac tumors associated with hereditary syndromes, 1355

Hexabrix

Contrast media-related complications during cardiac catheterization using Hexabrix or Renografin in high-risk patients, 1334

Histocompatibility antigen Associations of HLA-A, B, DR antigens with primary disease in cardiac allograft recipients, 1359

torical studies

- From irritable heart to mitral valve prolapse: World War I-The U.S. experience and the prevalence of apical systolic murmurs and mitral regurgitation in drafted men compared with present day mitral valve prolapse studies, 895
- Lewis A. Conner, MD (1867-1950), and lessons learned from examining four million young men in World War I, 900

Holter monitoring See also Ambulatory monitoring

- Characteristics of silent and symptomatic myocardial ischemia during daily activities, 1223
- Long-term prognostic significance of ventricular arrhythmias in idiopathic dilated cardiomyopathy, 146
- Stability of multilead ST-segment "fingerprints" over time after percutaneous transfurninal coronary angioplasty and its usefulness in detecting reocclusion, 1232
- The 24-hour heart rate behavior in longterm survivors of cardiac

transplantation, 880 Hydrochlorothlazide

Age and antihypertensive drugs (hydrochlorothlazide, bendroflumethiazide, nadolol and captopril), 117

Hypertension

See also Blood pressure; Systemic hypertension

Age and antihypertensive drugs (hydrochlorothlazide, bendroflumethlazide, nadolol and captopril), 117

Arterial distensibility and ambulatory blood pressure monitoring in essential hypertension, 1066

Comparison of blood pressure response to exogenous epinephrine in hypertensive men and women, 1288

Comparison of the antihypertensive effects of betaxolol to atenolol, 807

Lisinopril versus lisinopril plus hydrochlorothiazide in essential hypertension, 803

Hypertrophic cardiomyopathy

Congenital cardiomyopathy and cataracts with lactic acidosis, 193

Effects of verapamil on left ventricular diastolic filling in children with hypertrophic cardiomyopathy, 413

Relation between serum nifedipine concentration and hemodynamic effects in nonobstructive hypertropic cardiomyopathy, 830

Idiopathic dilated cardiomyopathy

Long-term prognostic significance of ventricular arrhythmias in idiopathic dilated cardiomyopathy, 146

Timing of cardiac transplantation in idiopathic dilated cardiomyopathy, 418

Idioventricular rates

Idioventricular rates in early and late phases of acute myocardial infarction, 936

Imipramine

Effects of encainide, flecainide, imipramine and moricizine on ventricular arrhythmias during the year after acute myocardial infarction: the CAPS, 501

impedance cardiography

Accuracy of electrical Impedance cardiography for measuring cardiac output in children with congenital heart defects, 612

Indecainide

Noninvasive evaluation of indecainide for serious ventricular tachyarrhythmia, 764

Infants

Correlation of left ventricular angiographic casts and biplane left ventricular volumetry in infants and children, 441

infarct size

Relation between infarct size and left ventricular performance assessed in patients with first acute myocardial infarction randomized to intracoronary thrombolytic therapy or to conventional treatment, 1

Interruption of the aortic arch

Cardiac malformations in relatives of children with truncus arteriosus or interruption of the aortic arch, 423

Irôn deficiency

Effect of iron deficiency on tissue oxygen delivery in cyanotic congenital heart disease, 605

Ischemia

An ischemic index from the electrocardiogram to select patients with low left ventricular ejection fraction for coronary artery bypass grafting, 288

Antilschemic effects of a newly developed capsule containing 120 mg isosorbide

dinitrate in sustained release form, 1352

Assessment of mitral flow velocity with exercise by an index of stress-induced left ventricular ischemia in coronary artery disease, 536

Asymptomatic myocardial ischemia as a predictor of cardiac events after coronary artery bypass grafting for stable angina pectoria, 248

Characteristics of slient and symptomatic myocardial ischemia during daily activities, 1223

Dynamics of early and late left ventricular filling determined by Doppler twodimensional echocardiography during percutaneous transluminal coronary angioplasty, 541

Lack of diurnal variation in maximal symptom-limited exercise test response in chronic stable angina, 38

Recovery of severe ischemic ventricular dysfunction after coronary artery bypass grafting, 650

Stability of multilead ST-segment "fingerprints" over time after percutaneous transluminal coronary angioplasty and its usefulness in detecting reocclusion, 1232

approterenol

Usefulness of isoproterenoi in facilitating atrioventricular nodal reentry tachycardia during electrophysiologic testing, 1037

leosorbide dinitrate

Antiischemic effects of a newly developed capsule containing 120 mg isosorbide dinitrate in sustained release form, 1352

Effect of intravenous isosorbide dinitrate versus nitroglycerin on elevated pulmonary arterial wedge pressure during acute myocardial infarction, 21

Reduction of nitroglycerin and isosorbide dinitrate by hemodialysis in refractory engina pectoris after acute myocardial infarction, 954

teradipine

Acute hemodynamic effects of intravenous laradiplne, 1102

Kawasaki disease

Effects of current therapy of Kawasaki disease on elcosanoid metabolism, 1323

Tricuspid and mitral regurgitation detected by color flow Doppier in the acute phase of Kawasaki disease, 386

Lactate dehydrogenase

Usefulness of lactate dehydrogenase and lactate dehydrogenase isoenzymes for diagnosis of acute myocardial infarction, 754

Late potentials

Effect of conduction defects on the signalaveraged electrocardiographic determination of late potentials, 1265

Natural history of late potentials in the first ten days after acute myocardial infarction and relation to early ventricular arrhythmias, 1187

Lead selection

Importance of lead selection in QT interval measurement, 83

Left atrial isomerism

Left isomerism with left-sided systemic venous return and ventriculoarterial concordance: Six-year follow-up after a "mirror image" Mustard operation, 949

Left axis deviation

Left axis deviation and left anterior

fascicular block, 869 Left ventricular function

Comparison of five methods for the measurement of left ventricular ejection time, 492

Correlates of supranormal (ejection fraction >85%) left ventricular performance, 1145

Correlation of minimum coronary lumen diameter with left ventricular functional impairment induced by atrial pacing, 697

Determinants and protective potential of coronary arterial collaterals as assessed by an angioplasty model, 677

Dynamics of early and late left ventricular filling determined by Doppler twodimensional echocardiography during percutaneous transluminal coronary angioplasty, 541

Effect of increasing heart rate on left ventricular performance in patients with normal cardiac function, 617

Effect of propranolol on the left ventricular response to the valsaiva maneuver in normal subjects, 400

Effects of spontaneous respiration on diastolic left ventricular filling assessed by pulsed Doppler echocardiography, 1356

Importance of atrial contraction to left ventricular filling in mitral stenosis, 1135

Influence of stenosis severity on coronary collateral development and importance of collaterals in maintaining left ventricular function during acute coronary occlusion, 866

Influence on prognosis and morbidity of left ventricular ejection fraction with and without signs of left ventricular failure after acute myocardial infarction, 1165

Intrinsic left ventricular contractility in normal subjects, 621

Left ventricular dysfunction after prolonged strenuous exercise in healthy subjects, 875

Left ventricular filling determined by Doppler echocardiography in diabetes mellitus, 1140

Left ventricular performance determined by ambulatory monitoring of systolic time intervals during daily activities in the late hospital phase of acute myocardial infarction, 1347

Relation between infarct size and left ventricular performance assessed in patients with first acute myocardial infarction randomized to intracoronary thrombolytic therapy or to conventional treatment, 1

Relation of acute antiarrhythmic drug efficacy to left ventricular function in coronary artery disease, 1050

Relation of coronary arterial patency and left ventricular function to electrocardiographic changes after streptokinase treatment during acute myocardial infarction, 961

Relation of left ventricular free wall rupture in acute myocardial infarction to forced immobilization, 910

Relation of left ventricular function and Na,K-pump concentration in suspected idiopathic dilated cardiomyopathy, 1312

Serial evaluation of left ventricular function in congestive heart failure by measurement of peak aortic blood acceleration, 367 The effect of coronary artery bypas grafting on left ventricular systolic function at rest: evidence for preoperative subclinical myocardial ischemia, 1248

Usefulness of serial radionuclide monitoring during graded nitroglycerin infusion for unstable angina pectoris for determining left ventricular function and individualized therapeutic dose, 685

Left ventricular hypertrophy

Effect of mitral regurgitation on diastolic filling with left ventricular hypertrophy, 590

Electrocardiographic detection of left ventricular hypertrophy in the presence of left anterior fascicular block, 1098

Usefulness of echocardiographic left ventricular hypertrophy in predicting new coronary events and atherothrombotic brain infarction in patients over 62 years of age, 1130

Left ventricular pressure

Accuracy of left atrial and pulmonary artery wedge pressure in pure mitral regurgitation in predicting left ventricular end-diastolic pressure, 136

Left ventricular volume

Assessment of left ventricular volume changes during exercise radionuclide angiography in coronary artery disease, 912

Correlation of left ventricular angiographic casts and biplane left ventricular volumetry in infants and children, 441 Letters to the Editor

Aging, myocardial compliance and ventricular filling sounds, 872

Art in cardiology, 874

Atrial natriuretic hormone, cardiac tamponade and true filling (transmural) pressures, 200

Cardiac rhythm in atrial isomerism, 959 Correction and clarification on type of 24hour electrocardiographic analyzers for ventricular arrhythmia described in a recent publication, 872

Correct nomenclature for the cardiomyopathies, 960

Decreased heart rate variability and beta blockers after acute myocardial infarction, 959

Doppler evaluation of diastolic flow in obstructive hypertrophic cardiomyopathy, 874

Doppler prediction of transvalvular gradient and stenotic orifice area, 958 Endorphinergic pain mediation in coronary

artery disease remains unclear, 499 Fetal Doppler echocardiography, 958 High plasma concentration of the atrial natriuretic peptide (ANP) with

suppressed aldosterone secretion in congestive heart failure, 498 Long-term follow-up of valvular function after orthotopic cardiac transplantation,

960 Maternal transmission of congenital heart disease, 499

Nifedipine-induced parotitis: a hypersensitivity reaction, 374

Pattern of congenital heart disease in children, 500

Pulmonary embolism and atrial fibrillation,

Significance of high CK-MB/CK ratios with normal creatine kinace in acute myocardial infarction, 873

Silent ischemia: an unproven therapeutic concept, 873

Spasm of saphenous veins used as conduits for aortocoronary bypass grafting, 675

Surgical and medical results of complete atrioventricular canal, 872

Termination of ventricular tachycardia with transcutaneous cardiac pacing, 958

protein

Effect of hospitalization on high density lipoprotein cholesterol in patients undergoing elective coronary angiography, 998

Lipoprotein profiles of eilte veteran endurance athletes, 934

Lisinopril versus lisinopril plus hydrochlorothiazide in essential hypertension, 803

upus erythematos

Echocardiographic findings in systemic lupus erythematosus, 1144

netic resonance imaging

Comparison of magnetic resonance imaging with echocardiography and radionuclide angiography in assessing cardiac function and anatomy following Mustard's operation for transposition of the great arteries, 1316

Cardiac malformations in relatives of children with truncus arteriosus or interruption of the aortic arch, 423

Mammary arteries

Angiographic demonstration of spasm in a left internal mammary artery used as a bypass to the left anterior descending coronary artery, 1363

Body surface potential maps with lowlevel exercise in isolated left anterior descending coronary artery disease, 273

Early assessment of the effect of map guided transcatheter intracardiac electric shock on sustained ventricular tachycardia secondary to coronary artery disease, 1018

Optimal lead subsets for reconstruction of QRS and ST-T in 35-lead precordial maps, 885

Marfan's syndrome Isolated descending thoracic aortic aneurysm in Marfan's syndrome, 1159

Factors of importance for prognosis in men with angina pectoris derived from a random population sample. The Multifactor Primary Prevention Trial, Gothenburg, Sweden, 530

Frequency of ST-segment depression produced by mental stress in stable angina pectoris from coronary artery disease, 989

Changes in coronary blood flow and myocardial metabolism during acrtic balloon valvuloplasty, 1080

abolism, elcosanoid

Effects of current therapy of Kawasaki disease on elcosanoid metabolism, 1323

Rethergin

Methergin® testing with angiographically normal coronary arteries, 298

oproiol

Influence of long-term metoprolol treatment on early and late exercise test performance after acute

myocardial infarction, 519

"Microvascular angina"
"Microvascular angina" as a cause of chest pain with angiographically normal coronary arteries, 1338

tral prosthesis

Polymorphic ventricular tachycardia as the presenting manifestation of Bjork-Shiley mitral prosthesis strut fracture, 192

tral regurgitation

Accuracy of left strial and pulmonary artery wedge pressure in pure mitral regurgitation in predicting left ventricular end-diastolic pressure, 136

Effect of mitral regurgitation on diastolic filling with left ventricular hypertrophy,

From irritable heart to mitral valve prolapse: World War I-The U.S. experience and the prevalence of apical systolic murmurs and mitral regurgitation in drafted men compared with present day mitral valve prolapse studies, 895

Reassessment of echocardiographic criteria for diagnosis of mitral valve prolapse, 131

Significance of Doppler-detected mitral regurgitation in acute myocardial infarction, 220

Tricuspid and mitral regurgitation detected by color flow Doppler in the acute phase of Kawasaki disease, 386

tral stenosis

Doppler echocardiographic assessment of atrial filling fraction in severe mitral stenosis, 1354

Double-orifice mitral valve: a study of 27 postmortem cases with developmental, diagnostic and surgical considerations, 152

Importance of atrial contraction to left ventricular filling in mitral stenosis,

Noninvasive assessment of mitral stenosis before and after percutaneous balloon mitral valvuloplasty, 817

Mitral valve

Bioprostheses in tricuspid and mitral valve positions for 100 months with heavier calcific deposits on the left-sided valve followed by new bioprostheses in both positions for 95 months with heavier calcific deposits on the right-sided valve, 947

Determinants of anterior mitral leaflet fluttering in pure aortic regurgitation from a pulsed Doppier study of the early diastolic interaction between the regurgitant jet and mitral inflow, 1085

Double-orifice mitral valve: a study of 27 postmortem cases with developmental, diagnostic and surgical considerations,

Limits of reproducibility of mitral pulsed Doppler spectra, 891

litral valve prolapse

Clinical features of mitral valve prolap associated with low body weight, 662

From irritable heart to mitral valve prolapse: World War I-The U.S. experience and the prevalence of apical systolic murmurs and mitral regurgitation in drafted men compared with present day mitral valve prolapse studies, 895

Reassessment of echocardiographic' criteria for diagnosis of mitral valve

prolapse, 131 ral valvulopiasty

Noninvasive assessment of mitral stenosis before and after percutaneous balloon mitral valvuloplasty, 817

Monophasic action potential

immediate quantitation of antiarrhythmic drug effect by monophasic action potential recording in coronary artery disease, 1284

Morbidity

influence on prognosis and morbidity of left ventricular ejection fraction with and without signs of left ventricular failure after acute myocardial infarction, 1165

Moricizine

Effects of encainide, flecainide, imipramine and moricizine on ventricular arrhythmias during the year after acute myocardial infarction: the **CAPS, 501**

Morte d'amour

Morte d'amour with subsequent electrophysiologic studies, 1364

Mucopolysaccharide storage disease Echocerdiographic abnormalities in the mucopolysaccharide storage diseases,

Murmurs

From irritable heart to mitral valve prolapse: World War I-The U.S. experience and the prevalence of apical systolic murmurs and mitral regurgitation in drafted men compared with present day mitral valve prolapse studies, 895

Muscular dystrophy

A comparative study of thailium-201 single-photon emission computed tomography and electrocardiography in Duchenne and other types of muscular dystrophy, 836

Mustard's operation

Comparison of magnetic resonance imaging with echocardiography and radionuclide angiography in assessing cardiac function and anatomy following Mustard's operation for transposition of the great arteries, 1316

inducible strial flutter after the Mustard repair of complete transposition of the

great arteries, 428

Left isomerism with left-sided systemic venous return and ventriculoarterial concordance: Six-year follow-up after a 'mirror image' Mustard operation, 949

Myocardial infarction

See also Acute myocardial infarction Adoption of thrombolytic therapy in the management of acute myocardial infarction, 510

Alterations in the initial portion of the signal-averaged QRS complex in acute myocardial infarction with ventricular tachycardia, 99

Angiographic demonstration of a common link between unstable angina pectoris and non-Q wave acute myocardial inferction, 244

Comparison of high- and low-intensity exercise training early after acute myocardial infarction, 26

Comparison of two dose regimens of intravenous tissue plasminogen activator for acute myocardial infarction, 723

Components of heart rate variability measured during healing of acute myocardial infarction, 208 Correlation of coronary arteriography after acute myocardial infarction with predischarge limited exercise test response, 201

Development and validation of an automated method of the Selvester QRS scoring system for myocardial infarct size, 734

Effect of diltiazem on myocardial infarct size estimated by enzyme release, serial thallium-201 single-photon emission computed tomography and radionuclide angiography, 1172

Effect of intravenous isosorbide dinitrate versus nitroglycerin on elevated pulmonary arterial wedge pressure during acute myocardial infarction, 21

Effects of encainide, flecainide, imipramine and moricizine on ventricular arrhythmias during the year after acute myocardial infarction: the **CAPS, 501**

Evaluation of a QRS scoring system for estimating myocardial infarct size. VI: identification of screening criteria for non-acute myocardial infarcts, 729

Evolution of the responses to exercise in left ventricular aneurysms after anterior wall acute myocardial infarction, 236

F-18 deoxyglucose and stress N-13 ammonia positron emission tomography in anterior wall healed myocardial infarction, 1191

Helicopter transport of patients during acute myocardial infarction, 718 improved survival up to four years after

early coronary thrombolysis, 524 influence of long-term metoprolol treatment on early and late exercise test performance after acute myocardial infarction, 519

influence on prognosis and morbidity of left ventricular election fraction with and without signs of left ventricular failure after acute myocardial infarction, 1165

Left ventricular performance determined by ambulatory monitoring of systolic time intervals during daily activities in the late hospital phase of acute myocardial infarction, 1347

Limitations in the interpretation of restexercise ejection fraction changes after early thrombolytic therapy during acute myocardial infarction, 743

Mechanism of death and prevalence of myocardial ischemic symptoms in the terminal event after acute myocardial infarction, 8

Natural history of late potentials in the first ten days after acute myocardial infarction and relation to early ventricular arrhythmias, 1187

Percutaneous transluminal coronary angioplasty for angina pectoris after a non-Q-wave acute myocardial infarction, 240

Prognostic significance of an early rise to peak creatine kinase after acute myocardial infarction, 1178

Randomized trial of prostacyclin infusion in acute myocardial infarction, 455

Recruitment and baseline description of patients in the Cardiac Arrhythmia Pilot Study, 704

Reentry and cyclic AMP-mediated triggered activity: Dual mechanisms of ventricular tachycardia in healed myocardial infarction, 1152

Relation between infarct size and left ventricular performance assessed in patients with first acute myocardial infarction randomized to intracoronary thrombolytic therapy or to conventional treatment, 1

Relation of left ventricular dilation during acute myocardial infarction to systolic performance, diastolic dysfunction, Infarct size and location, 224

Results of percutaneous transluminal coronary angioplasty for angina pectoris early after acute myocardial Infarction, 1238

Short-term risk stratification at admission based on simple clinical data in acute myocardial infarction, 216

Significance of Doppler-detected mitral regurgitation in acute myocardial infarction, 220

Significance of Q-wave regression after transmural acute myocardial infarction,

Significance of technetium-99m/thallium-201 overlap on simultaneous dual emission computed tomography in acute myocardial infarction, 1181

Trends in physician management of uncomplicated acute myocardial infarction, 1970 to 1987, 515

Usefulness of early positive technetium-99m stannous pyrophosphate scan in predicting reperfusion after thrombolytic therapy for acute myocardial infarction, 16

Usefulness of lactate dehydrogenase and lactate dehydrogenase isoenzymes for diagnosis of acute myocardial

infarction, 754

Usefulness of the accelerated idioventricular rhythm as a marker for myocardial necrosis and reperfusion during thrombolytic therapy in acute myocardial infarction, 231

Use of initial ST-segment deviation for prediction of final electrocardiographic size of acute myocardial infarcts, 749

Myocardial ischemia

Characteristics of silent and symptomatic myocardial ischemia during daily activities, 1223

Effect of nifedipine on out-of-hospital silent myocardial ischemia in asymptomatic men with coronary artery disease, 908

Electrocardiographic manifestations and in-hospital prognosis of transient acute myocardial ischemia at rest, 31

Functional characteristics of nonischemic region during pacing-induced myocardial ischemia in angina pectoris, 1214

Mechanism of death and prevalence of myocardial ischemic symptoms in the terminal event after acute myocardial infarction, 8

Myocardial metabolic and hemodynamic effects of dichloroacetate in coronary artery disease, 65

Silent myocardial ischemia as a predisposing factor for ventricular fibrillation, 461

The effect of coronary artery bypass grafting on left ventricular systolic function at rest: evidence for preoperative subclinical myocardial ischemia, 1248

Transient myocardial ischemia after abrupt withdrawal of antianginal therapy in chronic stable angina, 1219

Myocardial necrosis

Usefulness of the accelerated

idioventricular rhythm as a marker for myocardial necrosis and reperfusion during thrombolytic therapy in acute myocardial infarction, 231

Myocarditis

Atrial natriuretic peptide in acute Coxsacklevirus murine myocarditis, 1361

Nadolol

Age and antihypertensive drugs (hydrochlorothiazide, bendrofiumethiazide, nadolol and captopril), 117

Na,K-pump

Relation of left ventricular function and Na,K-pump concentration in suspected idiopathic dilated cardiomyopathy, 1312

N-13 ammonia

F-18 deoxyglucose and stress N-13 ammonia positron emission tomography in anterior wall healed myocardial infarction, 1191

Nicorandil

Coronary vasodilatory action after a single dose of nicorandil, 292

Nilledipine

Effect of nifedipine on out-of-hospital silent myocardial ischemia in asymptomatic men with coronary artery disease, 908

Relation between serum nifedipine concentration and hemodynamic effects in nonobstructive hypertropic cardiomyopathy, 830

Nitroglycerin

Effect of intravenous isosorbide dinitrate versus nitroglycerin on elevated pulmonary arterial wedge pressure during acute myocardial infarction, 21

Influence of sublingual nitroglycerin on diastolic transmitral flow velocities in normal subjects, 481

Reduction of nitroglycerin and isosorbide dinitrate by hemodialysis in refractory angina pectoris after acute myocardial infarction, 954

Sustained antianginal efficacy of transdermal nitroglycerin patches using an overnight 10-hour nitrate-free interval, 46

Usefulness of serial radionuclide monitoring during graded nitroglycerin infusion for unstable angina pectoris for determining left ventricular function and individualized therapeutic dose, 685

Non-Q-wave intarction

Angiographic demonstration of a common link between unstable angina pectoris and non-Q wave acute myocardial infarction, 244

Percutaneous transluminal coronary angioplasty for angina pectoris after a non-Q-wave acute myocardial infarction, 240

Occlusion

Influence of stenosis severity on coronary collateral development and importance of collaterals in maintaining left ventricular function during acute-coronary occlusion, 866

Physiopathology of transient ventricular occlusion during balloon valvuloplasty for pulmonic or aortic stenosis, 436

Oxygen

Effect of iron deficiency on tissue oxygen delivery in cyanotic congenital heart disease, 605

Reversal of ST depression and low maximal oxygen uptake after verapamil with normal coronary arteries and pulmonary disease, 955

Pacemakers

Cardiac strangulation: two-dimensional echo recognition of a rare complication of epicardial pacemaker therapy, 654

Clinical and hemodynamic comparison of VVI versus DDD pacing in patients with DDD pacemakers, 323

DDD pacemakers, 323
Epicardial ventricular pacemaker
electrode longevity in children, 104

Experiences with atrial pacing, 113
Fatal and nonfatal cardiac arrest in patients with an implanted antitachycardia device for the treatmen of supraventricular tachycardia, 919

Incessant pacemaker Vario® operation, 656 M-mode echocardiograms for

M-mode echocardiograms for determination of optimal left atrial timing in patients with dual chamber pacemakers, 317

Pacemaker-mediated endless loop tachycardia at rates below the upper rate limit, 465

The Activitrax rate responsive pacemaker system, 107

Transient entrainment of pacemaker circus movement tachycardia, 943 Use of the esophageal pill electrode for pacing inhibition of bipolar VVI

pacemakers, 1124

Pacing

Characteristics of entrainment during autodecremental atrial and ventricular stimulation, 781

Clinical and hemodynamic comparison of VVI versus DDD pacing in patients with DDD pacemakers, 323

Effect of increasing heart rate on left ventricular performance in patients with normal cardiac function, 617

Epicardial ventricular pacemaker electrode longevity in children, 104 Experiences with atrial pacing, 113 Facilitating influence of disopyramide on atrial flutter termination of overdrive

pacing, 1046
Functional characteristics of nonischemic region during pacing-induced myocardial ischemia in angina pectoris,

1214
M-mode echocardiograms for determination of optimal left atrial timing in patients with dual chamber pacemakers. 317

Termination of sustained ventricular tachycardia by external noninvasive pacing, 574

The Activitrax rate responsive pacemaker system, 107

Use of the esophageal pill electrode for pacing inhibition of bipolar VVI pacemakers, 1124

Validation of double-spike electrograms as markers of conduction delay or block in atrial flutter, 775

Pericardial Inflammation

Prevalence and significance of gallium-67 uptake in the heart after open-heart

surgery, 405 Pharmacodynamics

Pharmacodynamics of intravenous procainamide as used during acute electropharmacologic testing, 93 QRS morphology-dependent

pharmacodynamics in multiform ventricular ectopic activity, 563

Phentolamin

Effects of phentolamine and atropine on angina pectoris induced by handgrip test in patients with variant angina, 71 Phonocardiography

1385

Prevalence and characteristics of the aortic ejection sound in adults, 142

Primary coronary artery dissection
Primary coronary artery dissection

observed at coronary angiography, 645 Procalnamide

Pharmacodynamics of intravenous procainamide as used during acute electropharmacologic testing, 93

QRS morphology-dependent pharmacodynamics in multiform ventricular ectopic activity, 583

Prognosis

Clinical and angiographic correlates and prognostic significance of the coronary extent score, 1255

Electrocardiographic manifestations and in-hospital prognosis of transient acute myocardial ischemia at rest, 31

Factors of importance for prognosis in men with angina pectoris derived from a random population sample. The Mutifactor Primary Prevention Trial, Gothenburg, Sweden, 530

Improved survival up to four years after early coronary thrombolysis, 524

influence of long-term metoproloi treatment on early and late exercise test performance after acute myocardial infarction, 519

Influence on prognosis and morbidity of left ventricular ejection fraction with and without signs of left ventricular failure after acute myocardial infarction, 1185

Long-term prognostic significance of ventricular arrhythmias in idiopathic dilated cardiomyopathy, 146

Prognostic significance of an early rise to peak creatine kinase after acute myocardial infarction, 1178

Prognostic significance of angina pectoris before first acute myocardial infarction, 984

Prognostic significance of arrhythmia inducibility or noninducibility at initial electrophysiologic study in survivors of cardiac arrest, 578

Prospective evaluation of a discriminant function for prediction of recurrent symptomatic ventricular tachycardia or ventricular fibrillation in coronary artery disease patients receiving amiodarone and having inducible ventricular tachycardia at electropysiologic study, 1024

Psychosocial and physiological predictors of sudden cardiac death after healing of acute myocardial infarction, 979

Short-term risk stratification at admission based on simple clinical data in acute myocardial infarction, 216

Timing of cardiac transplantation in idiopathic dilated cardiomyopathy, 418

Use of exercise thallium-201 imaging for risk stratification of elderly patients with coronary artery disease, 269

Value of the signal-averaged electrocardiogram as a predictor of the results of programmed stimulation in nonsustained ventricular tachycardia, 1272

Propalenone

Propatenone for paroxysmal atrial fibrillation, 473

Propafenone for prevention of recurrent atrial fibrillation, 914

Propranolol

Effect of propranolol on the left ventricular response to the Valsalva maneuver in normal subjects, 400

Electrophysiologic effects of propranolol in intraventricular conduction disturbance, 341

Prognostic significance of ventricular ectopic activity in survivors of acute myocardial infarction who receive propranolol, 975

Prostacyclin

Randomized trial of prostacyclin infusion in acute myocardial infarction, 455

Efficacy of intravenous prourokinase and a combination of prourokinase and urokinase in acute myocardial infarction, 971

Pulmonary artery, anomalous

Anomalous origin of a pulmonary artery from the ascending aorta: associated anomalies and pathogenesis, 850

Pulmonary artery pressure

Accuracy of left atrial and pulmonary artery wedge pressure in pure mitral regurgitation in predicting left ventricular end-diastolic pressure, 136

Effect of intravenous isosorbide dinitrate versus nitroglycerin on elevated pulmonary arterial wedge pressure during acute myocardial infarction, 21

Pulmonary hypertension Surgical risk factors in total anomalous pulmonary venous connection, 608

Pulmonary regurgitation

Noninvasive assessment of hemodynamic responses to exercise in pulmonary regurgitation after operations to correct pulmonary outflow obstruction, 595

Pulmonary sling Asymptomatic form of left pulmonary

artery sling, 177

Pulmonary stenosis Doppler ultrasound evaluation of valvar pulmonary stenosis from multiple transducer positions in children requiring pulmonary valvuloplasty, 844

Pulmonary valve Doppler ultrasound evaluation of valvar pulmonary stenosis from multiple transducer positions in children requiring pulmonary valvuloplasty, 844

Pulmonary venous connection, anomalous Surgical risk factors in total anomalous pulmonary venous connection, 608

Pulse

Bigeminy during atrial fibrillation, 1154 **QRS** complex

Alterations in the initial portion of the signal-averaged QRS complex in acute myocardial infarction with ventricular tachycardia, 99

Optimal lead subsets for reconstruction of QRS and ST-T in 35-lead precordia! maps. 885

QRS morphology-dependent pharmacodynamics in multiform ventricular ectopic activity, 563

QRS score

Development and validation of an automated method of the Selvester QRS scoring system for myocardial infarct size, 734

Evaluation of a QRS scoring system for estimating myocardial infarct size. VI: Identification of screening criteria for non-acute myocardial infarcts, 729

Use of initial ST-segment deviation for prediction of final electrocardiographic size of acute myocardial infarcts, 749

QT Interval

Diurnal variations of QT interval after cardiac transplantation, 482 Importance of lead selection in QT interval measurement, 83

Quinidina

Tocainide plus quinidine for treatment of ventricular arrhythmias, 570

Significance of Q-wave regression after transmural acute myocardial infarction, 739

Radionuclide angiography

Effect of diltiazem on myocardial infarct size estimated by enzyme release. serial thallium-201 single-photon emission computed tomography and radionuclide angiography, 1172
Relation of left ventricular dilation during

acute myocardial infarction to systolic performance, diastolic dysfunction, infarct size and location, 224

Usefulness of early radionuclide angiography for identifying low-risk patients for late restenosis after percutaneous transluminal coronary angioplasty, 51

Radionuclide ventriculography

Intrinsic left ventricular contractility in normal subjects, 621

Usefulness of serial radionuclide monitoring during graded nitroglycerin infusion for unstable angina pectoris for determining left ventricular function and individualized therapeutic dose, 685

Radiotherapy

Isolated left main coronary artery stenosis and mediastinal radiotherapy as an etiologic factor, 1119

Recombinant plasminogen activator

Recombinant single-chain urokinase-type plasminogen activator during acute myocardial infarction, 966

Renal function

Atrial natriuretic peptide during supraventricular tachycardia and relation to hemodynamic changes and renal function, 1260

Renin

Unrelated responses of brachial artery hemodynamics and renin-angiotensin system to acute converting enzyme inhibition by enalaprilat in essential hypertension, 1056

Renografin

Contrast media-related complications during cardiac catheterization using Hexabrix or Renografin in high-risk patients, 1334

Repertusion

Relation between infarct size and left ventricular performance assessed in patients with first acute myocardial infarction randomized to intracoronary thrombolytic therapy or to conventional treatment, 1

Usefulness of early positive technetium-99m stannous pyrophosphate scan in predicting reperfusion after thrombolytic therapy for acute myocardial infarction, 16

Usefulness of the accelerated idioventricular rhythm as a marker for myocardial necrosis and reperfusion during thrombolytic therapy in acute myocardial infarction, 231

Reproducibility

Limits of reproducibility of mitral pulsed Doppier spectra, 891

increased frequency of restenosis in patients continuing to smoke cigarettes after percutaneous transluminal coronary angioplasty, 260

Treatment of recurrent restenosis with repeat percutaneous transluminal coronary angioplasty, 906

Retroperfusion

Does effective diastolic coronary venous retroperfusion depend on arterial-like blood pressure in the coronary sinus? 1148

Right ventricular muscle bundle

An echocardiographic study of the association of ventricular septal defect and right ventricular muscle bundles with a fixed subsortic abnormality, 857

Risk factors

Short-term risk stratification at admission based on simple clinical data in acute myocardial infarction, 216

Scintigraphy

Tricuspid and mitral regurgitation detected by color flow Doppler in the acute phase of Kawasaki disease, 386

Sickle cell anemia

Left ventricular filling in sickle cell anemia, 395

Sick sinus syndrome

Assessment by autonomic blockade of age-related changes of the sinus node function and autonomic regulation in sick sinus syndrome, 361

The sign of the flashing wheal in aortic regurgitation, 1158

Assessment by autonomic blockade of age-related changes of the sinus node function and autonomic regulation in sick sinus syndrome, 361

Sinus rhythm

Follow-up of the family with congenital absence of sinus rhythm, 467

Smoking

Increased frequency of restenosis in patients continuing to smoke cigarettes after percutaneous transluminal coronary angioplasty, 260

Electrophysiologic effects of intravenous and oral sotalol for sustained ventricular tachycardia secondary to coronary artery disease, 1006

Enhanced efficacy of oral sotalol for sustained ventricular tachycardia refractory to type I antiarrhythmic drugs, 1012

Methergin® testing with angiographically normal coronary arteries, 298

ST depression

Frequency of ST-segment depression produced by mental stress in stable angina pectoris from coronary artery disease, 989

Relation of results of exercise stress tests In young women to phases of the menstrual cycle, 197

Reversal of ST depression and low maximal oxygen uptake after verapamil with normal coronary arteries and pulmonary disease, 955

ST deviation

Use of Initial ST-segment deviation for prediction of final electrocardiographic size of acute myocardial infarcts, 749

ST elevation

Evolution of the responses to exercise in left ventricular aneurysms after anterior wall acute myocardial infarction, 236 Stenosis

See also Aortic stenosis

Complex of discrete subaortic stenosis, single coronary artery arising from a small left aortic sinus, a rudimentary low-seated left aortic cusp and a congenital aortic regurgitation, 479

Coronary ostial stenosis after aortic valve replacement without coronary

cannulation, 1156

Correlation of minimum coronary lumen diameter with left ventricular functional impairment induced by atrial pacing, 697

Early and late assessment of stenosis geometry after coronary arterial stenting, 546

Influence of stenosis severity on coronary collateral development and importance of collaterals in maintaining left ventricular function during acute coronary occlusion, 866

Left main coronary artery stenosis after percutaneous transluminal coronary angioplasty, 459

Percutaneous double balloon valvotomy for rheumatic tricuspid stenosis, 660

Physiopathology of transient ventricular occlusion during balloon valvuloplasty for pulmonic or aortic stenosis, 436

Provocation and amplification of the transvalvular pressure gradient in rheumatic tricuspid stenosis, 1307

Stenosis, recurrent

Usefulness of early radionuclide anglography for identifying low-risk patients for late restenceis after percutaneous transluminal coronary angioplasty, 51

Strength-interval relation

Strength-interval relation for ventricular functional refractoriness, 88

Streptokinase
Relation between infarct size and left
ventricular performance assessed in
patients with first acute myocardial
infarction randomized to intracoronary
thrombolytic therapy or to conventional
treatment, 1

Relation of coronary arterial patency and left ventricular function to electrocardiographic changes after streptokinase treatment during acute myocardial infarction, 961

ST segment

Stability of multilead ST-segment "fingerprints" over time after percuraneous transluminal coronary angioplasty and its usefulness in detecting reocclusion, 1232

ST-T complex

Optimal lead subsets for reconstruction of QRS and ST-T in 35-lead precordial maps, 885

Supraventricular tachycardia

Comparative quantitative electrophysiologic effects of adenosine triphosphate on the sinus node and atrioventricular node, 330

Effects of beta-adrenergic stimulation on atrial latency and atrial vulnerability in patients with paroxysmal supraventricular tachycardia, 1031

Fatal and nonfatal cardiac arrest in patients with an implanted antitachycardia device for the treatment of supraventricular tachycardia, 919
Usefulness of adenosine for arrhythmias in infants and children, 336

Usefulness of isoproterenol in facilitating atrioventricular nodal reentry

tachycardia during electrophysiologic testing, 1037

Surgery

See also Coronary artery bypass grafting An echocardiographic study of the association of ventricular septal defect and right ventricular muscle bundles with a fixed subsortic abnormality, 857

Comparison of effects of medical and surgical therapy on survival in severe angina pectoris and two-vessel coronary artery disease with and without left ventricular dysfunction: A Coronary Artery Surgery Study registry study, 1198

Percutaneous transluminal coronary angioplasty in patients with two or more previous coronary artery bypass grafting operations, 1243

Prevalence and significance of gallium-67 uptake in the heart after open-heart surgery, 405

Results of percutaneous transluminal coronary angioplasty by multiple, relatively low frequency operators: 1986–1987 experience, 1229

Results of the modified Fontan operation in adults, 602

Surgical removal of the intracoronary portion of a fractured angioplasty guidewire, 946

Surgical risk factors in total anomalous pulmonary venous connection, 608 ymposium: Advances in Clinical Practice

of Nitrate Therapy
Acute and chronic efficacy of 10 mg of nitroglycerin patch in stable angina pectoris, 52E

Acute and sustained antianginal effects of nitroglycerin patches: Objective evaluation with training-effecteliminated exercise performance index, 39E

Acute effect of various doses of isosorbide-5-mononitrate on hemodynamic and exercise performance in coronary artery disease, 31E

Age-related hemodynamic effects of intravenous nitroglycerin for acute myocardial infarction and left ventricular failure, 81E

Comparative evaluation of isosorbide-5mononitrate and nitroglycerin in chronic congestive heart failure, 19E

Dose-ranging study of isosorbide-5mononitrate in chronic congestive heart failure treated with diuretics and angiotensin-converting enzyme inhibitor, 28E

Effects of isosorbide dinitrates intravenously in high doses over a short period in anterior acute myocardial infarction, 78E

Effects of long-term treatment with 120 mg of sustained-release isosorbide dinitrate and 60 mg of sustained-release nifedipine on myocardial perfusion, 74E

Efficacy of a new transdermal nitroglycerin patch (Deponit 10) for stable angina pectoris, 44E

Emergency treatment of severe cardiogenic pulmonary edoma with intravenous isosorbide-5-mononitrate, 22F.

Increased exercise tolerance and reduced duration of ischemia after isosorbide dinitrate oral spray in angina pectoris, 4E

Intravenous isosorbide dinitrate during

open-heart surgery and its role in the treatment of right-sided congestive heart failure, 70E

1387

Introduction, 1E

More rapid relief of pain with isosorbide dinitrate oral spray than with sublingual tablets in elderly patients with angina pectoris, 2E

Nitrates and calcium antagonists for silent myocardial ischemia, 15E

Nitroglycerin oral spray: evaluation of its coronary artery dilative action by quantitative anglography, 7E

Relation of transfermal nitroglycerin efficacy with dosage in different subsets of patients, 59E

Sustained-release isosorbide mononitrate (50 mg): Optimization of a once-daily dosage form for long-term treatment of angina pectoris, 12E

Transfermal nitroglycerin patches for silent myocardial ischemia during antianginal treatment, 36E

Sympoeium: Arrhythmia Therapy—Controversies, Directions and Challenges

Antiarrhythmic therapy for asymptomatic ventricular arrhythmias, 102A

Combination therapy for cardiac arrhythmias, 95A

Electrical devices for treatment of arrhythmias, 45A General discussion I, 58A

General discussion II, 108A

Generation of arrhythmias in myocardial ischemia and infarction, 20A

Introduction, 1A

Mechanisms for arrhythmias, 2A Mechanisms of clinical tachycardias, 9A Overview of the clinical pharmacology of antiarrhythmic drugs, 61A

Proarrhythmic events, 70A

Reflections on arrhythmia therapy, 112A Surgical treatment of arrhythmias, 27A Symposium: Behavioral Disorders in Heart

lymposium: Behavioral Disorders in Heart Disease (December 1987 Issue) An animal mortel to examine the response

An animal model to examine the response to environmental stress as a factor in sudden cardiac death, 9J

Association between silent myocardial ischemia and prognosia: insensitivity of angina pectoris as a marker of coronary artery disease activity, 33J

Cardiac symptoms and anxiety disorders: contributing factors and pharmacologic treatment, 68J

Cardiovascular reactivity as behavior, 3.) influence of the normal personality dimension of neuroticism on chest pain symptoms and coronary artery disease, 20.1

Introduction, 1J

Mitral valve prolapse: from syndrome to disease, 53J

Multiple risk factors for coronary artery disease: behavioral factors in preventive cardiology, 74J

Neurogenic heart disease: a unifying hypothesis, 15J

Psychiatric management of acute myocardial infarction in the coronary care unit, 59J

Refining the type A hypothesis: emergence of the hostility complex, 27J

Treadmill exercise test and ambulatory measures in panic attacks, 48J Unrecognized prevalence of panic disorder in primary care, internal

medicine and cardiology, 39J Symposium: Hypertension into the Nineties Acute hemodynamic effects of celiprolol, 490

Antihypertensive therapy with celiprolol: a new cardioselective beta blocker, 14C Atenolol and celiprolol for stable angina pectoris, 52C

Celiprolol and the heart, 34C Celiprolol-review of airways studies, 230

Concluding remarks, 59C

Current and future strategies in the treatment of hypertension, 2C

Effects of celiprolol on serum lipids in systemic hypertension, 41C Effects of celiprolol on the bronchial

reactivity in asthma, 53C

Evaluation of the antihypertensive effect of celiprolol by ambulatory blood pressure monitoring, 27C

General discussion, 57C

Introduction, 1C

Qualities of an ideal beta-adrenoceptor antagonist and comparison of existing agents with a new cardioselective hydrophilic vasodilator betaadrenoceptor antagonist, celiprolol, 8C

Reduction of left ventricular hypertrophy in hypertensive patients after treatment with celiprolol, 55C

Systemic and renal hemodynamic effects of celiprolol in essential hypertensives,

Symposium: Hypertension-The Heart and Kidney (December 1987 issue)

Acute and chronic studies of diltiazem in elderly versus young hypertensive patients, 116I

An epilogue: target-organ involvement in essential hypertension based on presented concepts and discussions, 1271

Autocrine-paracrine mechanisms of vascular myocytes in systemic hypertension, 991

Cellular mechanisms of growth in cardiovascular tissue, 1041

Changes in vascular endothelium and its function in systemic arterial hypertension, 110I

Demographic considerations in the selection of antihypertensive therapy, 1211

Development and progression of chronic renal disease: can it be prevented or attenuated? 53l

Does essential hypertension lead to renal failure? 42!

Efficacy and safety of sustained-release diltiazem as replacement therapy for beta blockers and diuretics for stable angina pectoris and coexisting essential hypertension: a multicenter trial, 291

Efficacy, electrocardiographic and renal affects of intravenous diltlazem for essential hypertension, 78I

Introduction, 11 Left ventricular hypertrophy and myocardial ischemia in systemic hypertension, 19i

Left ventricular hypertrophy, arrhythmias and sudden death in systemic hypertension, 13I

Overall risk of left ventricular hypertrophy secondary to systemic hypertension, 81

Pathogenesis of systemic hypertension and glomerular injury in the spontaneously hypertensive rat, 471 Pathophysiology of the hepatorenal

syndrome and potential for therapy, 66I Population implications of electrocardiographic left ventricular hypertrophy, 851

Reversal of target-organ involvement in

systemic hypertension: a pharmacologic experience, 3I

Sustained-release diltiazem compared with atenolol monotherapy for mild to moderate systemic hypertension, 36I

Systemic hypertension and the kidney in black patients, 731

Systemic hypertension, diabetes mellitus and the kidney, 611

Systemic hypertension, left ventricular hypertrophy and coronary artery disease, 231

The arterial smooth muscle cell in systemic hypertension, 94I

Vasodilators, antihypertensive therapy and the kidney, 571

Symposium: Interventional Cardiology-1987

Additional improvement of stenosis geometry in human coronary arteries by stenting after balloon dilatation, 71G

Advances in balloon technology and reperfusion devices for peripheral circulation, 87G

Angioplasty techniques for stenoses involving coronary artery bifurcations,

Balloon valvuloplasty for treating pulmonic, mitral and aortic valve stenosis, 102G "High-risk" percutaneous transluminal

coronary angioplasty, 33G Impact of different reperfusion modalities

on ventricular function after acute myocardial infarction, 45G Initial success and long-term follow-up of

percutaneous transluminal coronary angioplasty in chronic total occlusions versus conventional stenoses, 23G Interventional cardiology-an overview, 10

Interventional catheterization in pediatric congenital and acquired heart disease, 109G

Percutaneous transluminal angioplasty in patients with prior myocardial revascularization surgery, 15G

Perfusion balloon catheter, 77G Predictors, therapeutic options and longterm outcome of abrupt reclosure, 61G

Protection of the ischemic myocardium during percutaneous transluminal coronary angioplasty, 54G

Restenosis after percutaneous transluminal coronary angioplasty, 67G Role of laser and thermal ablation devices in the treatment of vascular diseases,

81G Role of percutaneous transluminal coronary angioplasty in multivessel disease, 9G

Transluminal atherectomy for occlusive peripheral vascular disease, 96G

Use of percutaneous transluminal coronary angioplasty and bypass surgery despite improved medical therapy for unstable angina pectoris, 3RG

Use of percutaneous transluminal coronary angioplasty: Results of a current survey, 3G

Symposium: Medical Management of Silent lechemia and Myocard: I in arction Beta-adrenergic blockers in sitent

myocardial ischemia, 18B Calcium antagonists in acute myocardial infarction, 22B

Death after acute myocardial infarction: interrelation between left ventricular dysfunction, arrhythmias and ischemia,

Detection and prognosis of the

asymptomatic patient with silent myocardial ischemia, 4B

Discussion, 30B

International beta-blocker review in acute and postmyocardial infarction, 268 Introduction, 1B

Quantitation of transient myocardial ischemia by digital, ambulatory electrocardiography, 13B

Sympoetum: Rilmenidine—A Novel Alpha₂
Agonist Antihypertensive Agent
Action of rilmenidine on locus ceruleus

and dorsal raphe cells in vivo and in vitro, 32D

Advantages and disadvantages of alpha₂adrenoceptor agonists for systemic hypertension, 1D

Cardiovascular and central nervous system effects of rilmenidine (S 3341) in rats, 22D

Concluding remarks, 103D

Dose and concentration-effect relations for rilmenidine, 60D

Effects of continuous infusions (10 days) and cessation of infusions of clonidine and rilmenidine (S 3341) on cardiovascular and behavioral parameters of spontaneously hypertensive rats, 39D

Effects of rilmenidine on bronchomotor responses in the guinea pig, 45D

Effects of two alpha₂ agonists, rilmenidine and clonidine, on the morphine withdrawal syndrome and their potential addictive properties in rate, 35D

Efficacy and safety of rilmenidine for arterial hypertension, 95D

Pharmacokinetics of rilmenidine, 54D Pharmacokinetics of rilmenidine in healthy subjects, 47D

Pharmacology of the alpha₂-adrenoceptor agonist riimenidine, 6D Sites of action of alpha₂ agonists and

antagonists, 18D Sites of actions of alpha₂ agonists in the

brain and periphery, 15D Treatment of systemic hypertension in

insulin-treated diabetes mellitus with rilmenidine, 91D

Symposium: Stient Myocardial Ischemia and infarction-Past, Present and Future

Clinical implications of coronary arteriographic findings soon after non-Q-wave acute myocardial infarction, 36F

Clinical outcome of silent myocardial ischemia, 18F

Diagnostic and therapeutic considerations in silent myocardial ischemia, 41F Discussion i, 7F

Discussion II, 13F Discussion III. 27F Discussion IV, 35F Discussion V. 39F

Endorphins and pain perception in silent myocardial ischemia, 3F

Group discussion: Relevancy of silent myocardial ischemia to the practicing physician, 48F

Identification of high-risk patients with silent myocardial ischemia after percutaneous transluminal coronary angioplasty by multilead monitoring,

Introduction, 1F

Myocardial perfusion imaging for detection of silent myocardial ischemia, 22F

Prognosis in stable angina pectoris and silent myocardial ischemia, 19F

Six-year survival of patients with and without painless myocardial ischemia and out-of-hospital ventricular fibrillation, 9F

Symposium: The Salt-Sensitive **Hypertensive Patient**

Cardiac Involvement in hypertension, 67H Heritable aspects of salt sensitivity, 1H Metabolic changes with antihypertensive therapy of the salt-sensitive patient, 53H

Pharmacologic management of systemic hypertension in blacks, 46H

Physiologic and hemodynamic considerations in blood pressure control while maintaining organ perfusion, 60H Profile of systemic hypertension in black

patients, 41H Psychological perspectives of sex and

aging, 24H

Role of calcium antagonists as Initial pharmacologic monotherapy for systemic hypertension in patients over 60 years of age, 13H

Salt sensitivity and systemic hypertension in the elderly, 7H

Sexual dysfunction in the diabetic patient with hypertension, 27H

Sexual dysfunction with aging and systemic hypertension, 18H Systemic hypertension in diabetes

mellitus, 34H Systemic hypertension

See also Blood pressure; Hypertension Color and pulsed-wave Doppler study of aortic regurgitation in systemic hypertension, 928

Sudden death and cardiomegaly unassociated with coronary, valvular, congenital or specific myocardial disease, 659

The pulmonary circulation in essential systemic hypertension, 1061

Correlates of systolic and diastolic binod pressure in men 40 to 59 years of age sampled from United States of America and Union of Soviet Socialist Republics Lipid Research Clinics Populations, 1071

Systolic blood pressure

Noninvasive measurement of right ventricular systolic pressure by combined color-coded and continuouswave Doppler ultrasound, 668

Tachyarrhythmia

Acute termination of supraventricular tachyarrhythmias in children by transesophageal atrial pacing, 925

Tachycardia

Analysis of antiarrhythmic drug concentrations determined during electrophysiologic drug testing in patients with inducible tachycardias, 922

Atrial natriuretic peptide during supraventricular tachycardia and relation to hemodynamic changes and renal function, 1260

Developments, complications and limitations of catheter-mediated electrical ablation of posterior accessory atrioventricular pathways, 309

Electrocardiographic criteria for ventricular tachycardia in wide complex left bundle branch block morphology

tachycardias, 1279 Linking by collision initiated in the absence of preexisting reentrant tachycardia, 354

Pacemaker-mediated endless loop tachycardia at rates below the upper rate limit, 465

Transient entrainment of pacemaker circus movement tachycardia, 943

hnetium-99m

Usefulness of early positive technetium 99m stannous pyrophosphate scan in predicting reperfusion after thrombolytic therapy for acute myocardial infarction, 18 Technetium-99m/thallium-231

Significance of technetium-99m/thailiun 201 overlap on simultaneous dual emission computed tomography in acute myocardial infarction, 1181

or apparatus

Double-orifice mitral valve: a study of 27 postmortem cases with developmental, diagnostic and surgical considerations, 152

Tetralogy of Fallot

Echocardiographic evaluation of obstructive mechanism of tetralogy of Fallot with restrictive ventricular septal defect, 664

Rupture of an aneurysmal pulmonary trunk 40 years after Blalock-Taussig anastomosis, 477

ilum-201

A comparative study of thallium-201 single-photon emission computed tomography and electrocardiography in Duchenne and other types of muscular dystrophy, 836 Effect of diltiazem on myocardial infarct

size estimated by enzyme rele serial thallium-201 single-photon emission computed tomography and radionuclide angiography, 1172

mboendarterectomy

Doppler assessment of changes in rightsided cardiac hemodynamics after pulmonary thromboendarterectomy, 1092

mbolysis

Adoption of thrombolytic therapy in the management of acute myocardial infarction, 510

Comparison of two dose regimens of intravenous tissue plasminoge activator for acute myocardial infarction, 723

Dissimilar systemic and local adverse effects of thrombolytic therapy, 1344 improved survival up to four years after

early coronary thrombolysis, 524 Limitations in the interpretation of restexercise ejection fraction changes after early thrombolytic therapy during acute myocardial infarction, 743

Low dose aspirin after early thrombolysis in anterior wall acute myocardial infarction, 904

Usefulness of early positive technetium-99m stannous pyrophosphate scan in predicting reperfusion after thrombolytic therapy for acute myocardial infarction, 16

Usefulness of the accelerated idioventricular rhythm as a marker for myocardial necrosis and reperfusion during thrombolytic therapy in acute myocardial infarction, 231

Detection of thromboembolus of the right pulmonary artery by transesophageal two-dimensional echocardiography, 488

Dissimilar systemic and local adverse effects of thrombolytic therapy, 1344

Tissue failure

Comparative study of primary tissue failure between porcine (Hancock and Carpentier-Edwards) and bovine pericardial (lonescu-Shiley)

bioprostheses in the aortic position at five- to nine-year follow-up, 812

e plaeminogen

Comparison of two dose regimens of intravenous tissue plasminoo activator for acute myocardial Infarction, 723

Tocainide plus quinidine for treatment of ventricular arrhythmias, 570

Tomography

A comparative study of thallium-201 single-photon emission computed tomography and electrocardiography in Duchenne and other types of muscula dystrophy, 836

Comparison of dipyridamole-handgrip test and bicycle exercise test for thallium tomographic imaging, 264 Effect of diltlazem on myocardial infarct

size estimated by enzyme release, serial thallium-201 single-photon emission computed tomography and radionuclide angiography, 1172

F-18 deoxyglucose and stress N-13 ammonia positron emission tomography in anterior wall healed myocardial infarction, 1191

Significance of technetium-99m/thallium-201 overlap on simultaneous dual emission computed tomography in acute myocardial infarction, 1181

Use of exercise thallium-201 imaging for risk stratification of elderly patients with

coronary artery disease, 269 sposition of the great arteries

Cardiorespiratory exercise testing after venous switch operation in children with complete transposition of the great arteries, 861

inducible atrial flutter after the Mustard repair of complete transposition of the great arteries, 428

Icuspid regurgitation
Tricuspid and mitral regurgitation detected by color flow Doppler in the acute phase of Kawasaki disease, 386

uspid valve

Bioprostheses in tricuspid and mitral valve positions for 100 months with heavier calcific deposits on the left-sided valve followed by new bioprostheses in both positions for 95 months with heavier calcific deposits on the right-sided valve, 947

Truncus arteriosus

Cardiac malformations in relatives of children with truncus arteriosus or interruption of the aortic arch, 423

ional echocardiography See also Doppler ulirasound; **Echocardiography**

Cardiac strangulation: two-dimensional echo recognition of a rare complication of epicardial pacernaker therapy, 654

Urckinase

Efficacy of intravenous prourokinase and a combination of prourokinase and urokinase in acute myocardial infarction, 971

Prolonged infusion of urokinase for recanalization of chronically occluded aortocoronary bypess grafts, 189 USA-USSR Lipid Research Clinics Program

Correlates of systolic and diastolic blood pressure in men 40 to 59 years of age sampled from United States of America and Union of Soviet Socialist Republics Lipid Research Clinics Populations, 1071

Valsalva maneuver

Effect of propranolol on the left ventricular

response to the Valsalva maneuver in normal subjects, 400

Valve prostheses

Overestimation by Doppler echocardiography of pressure gradients across Starr-Edwards prosthetic valves in the acrtic position, 475

Valvuloplasty

See also Balloon valvuloplasty
Doppler ultrasound evaluation of valvar
pulmonary stenosis from multiple
transducer positions in children
requiring pulmonary valvuloplasty, 844

Usefulness of noninvasive assessment of aortic stenosis before and after percutaneous aortic valvuloplasty, 1300

Vario® function

incessant pacemaker Vario® operation, 656

Vasodilation

Coronary vasodilatory action after a single dose of nicorandil, 292

Delayed reversal of impaired vasodilation in congestive heart failure after heart transplantation, 1076

Ventricular arrhythmia

See #lso Antiarrhythmic therapy; Arrhythmia

Antiarrhythmic effect of a 5hydroxytryptamine M-receptor antagonist, ICS 205-930, 470

Clinical predictors of arrhythmia worsening by antiarrhythmic drugs, 349 Determinants of survival in patients with

malignant ventricular arrhythmia associated with coronary artery disease, 791

Effects of encainide, flecainide, impramine and moricizine on ventricular arrhythmias during the year after acute myocardial infarction: the CAPS, 501

Long-term prognostic significance of ventricular arrhythmias in idiopathic dilated cardiomyopathy, 146

Natural history of late potentials in the first ten days after acute myocardial infarction and relation to early ventricular arrhythmias, 1187

Noninvasive evaluation of indecainide for serious ventricular tachyarrhythmia, 764

Prognostic significance of ventricular ectopic activity in survivors of acute myocardial infarction who receive propranolol, 975

QRS morphology-dependent pharmacodynamics in multiform ventricular ectopic activity, 563

Sensitivity of an automatic external defibrillator for ventricular tachyarrhythmias in patients undergoing electrophysiologic studies, 787

Short-term effect of coronary artery bypass grafting on the signal-averaged electrocardiogram, 1001

Tocainide plus quinidine for treatment of ventricular arrhythmias, 570

Usefulness of echocardiographic abnormal left ventricular ejection fraction, paroxysmal ventricular tachycardia and complex ventricular arrhythmias in predicting new coronary events in patients over 62 years of age, 1349

Ventricular extrastimuli

Coupling Intervals of ventricular extrastimuli causing resetting of sustained ventricular tachycardia secondary to coronary artery disease: relation to subsequent termination, 770
Ventricular fibrillation

Limited value of programmed electrical stimulation from multiple right ventricular pacing sites in clinically sustained ventricular fibrillation or ventricular tachycardia associated with coronary artery disease, 303

Prospective evaluation of a discriminant function for prediction of recurrent symptomatic ventricular tachycardia or ventricular fibrillation in coronary artery disease patients receiving amiodarone and having inducible ventricular tachycardia at electropysiologic study, 1024

Silent myocardial ischemia as a predisposing factor for ventricular fibrillation, 461

Ventriculcatrial conduction and atrial activation during ventricular flutter and fibrillation, 916

Ventricular filling

Comparison of pulsed Doppler echocardiography and radionuclide angiography in the assessment of left ventricular filling, 446

Ventricular function

Effect of right coronary artery occlusion during percutaneous transluminal coronary angioplasty on right ventricular performance, 648

Relation of left ventricular dilation during acute myocardial infarction to systolic performance, diastolic dysfunction, infarct size and location, 224

Strength-interval relation for ventricular functional refractoriness, 88

Ventricular premature complexes Recruitment and baseline description of patients in the Cardiac Arrhythmia Pilot Study, 704

Ventricular septal defect

An echocardiographic study of the association of ventricular septal defect and right ventricular muscle bundles with a fixed subsortic abnormality, 857

Echocardiographic evaluation of obstructive mechanism of tetralogy of Fallot with restrictive ventricular septal defect, 664

Ventricular tachycardia

Alterations in the initial portion of the signal-averaged QRS complex in acute myocardial infarction with ventricular tachycardia, 99

Coupling intervals of ventricular extrastimuli causing resetting of sustained ventricular tachycardia secondary to coronary artery disease: relation to subsequent termination, 770

Early assessment of the effect of mapguided transcatheter intracardiac electric shock on sustained ventricular tachycardia secondary to coronary artery disease, 1018

Electrocardiographic criteria for ventricular tachycardia in wide complex left bundle branch block morphology tachycardias, 1279

Electrophysiologic effects of intravenous and oral sotalol for sustained ventricular tachycardia secondary to coronary artery disease, 1006

Enhanced efficacy of oral sotalol for sustained ventricular tachycardia refractory to type I antiarrhythmic drugs, 1012

Limited value of programmed electrical

stimulation from multiple right ventricular pacing altee in clinically sustained ventricular fibrilitation or ventricular tachycardia associated with coronary artery disease, 303

Polymorphic ventricular tachycardı as the presenting manifestation of Bjork-Shiley mitral prosthesis strut fracture, 192

Prognostic significance of arrhythmia inducibility or noninducibility at initial electrophysiologic study in survivors of cardiac arrest, 578

Prospective evaluation of a discriminant function for prediction of recurrent symptomatic ventricular tachycardia or ventricular fibrillation in coronary artery disease patients receiving amiodarone and having inducible ventricular tachycardia at electropysiologic study, 1024

Reentry and cyclic AMP-mediated triggered activity: Dual mechanisms of ventricular tachycardia in healed myocardial infarction, 1152

Termination of sustained ventricular tachycardia by external noninvasive pacing, 574

Termination of sustained ventricular tachycardia by transesophageal atrial pacing, 463

Usefulness of echocardiographic abnormal left veritricular ejection fraction, paroxysmal ventricular tachycardia and complex ventricular arrhythmias in predicting new coronary events in patients over 62 years of age, 1349

Value of the signal-averaged electrocardiogram as a predictor of the results of programmed stimulation in nonsustained ventricular tachycardia, 1272

Ventricular volume

Correlation of right ventricular volume using axial angulated ventriculography to known right ventricular cast volumes in infants and children with congenital heart disease, 161

Ventriculography

Correlation of right ventricular volume using axial angulated ventriculography to known right ventricular cast volumes in infants and children with congenital heart disease, 161

F-18 deoxyglucose and stress N-13 ammonia positron emission tomography in anterior wall healed myocardial infarction, 1191

Frequency of cardiac contusion in nonpenetrating chest injury, 391

Verapamil

Effects of verapamil on left ventricular diastolic filling in children with hypertrophic cardiomyopathy, 413

Reversal of ST depression and low meximal oxygen uptake after verapamil with normal coronary arteries and pulmonary disease, 955

Wolff-Parkinson-White syndrome

Developments, complications and limitations of catheter-mediated electrical ablation of posterior accessory atrioventricular pathways, 309

Women

Coronary artery disease in women, 641 Xanthomatosis

Aneurysmal coronary artery disease in cerebrotendinous xanthomatosis, 1150

